

(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property
Organization
International Bureau



(43) International Publication Date
31 December 2003 (31.12.2003)

PCT

(10) International Publication Number
WO 2004/000006 A2

- (51) International Patent Classification⁷: **A01H**
- (21) International Application Number:
PCT/US2003/019212
- (22) International Filing Date: 17 June 2003 (17.06.2003)
- (25) Filing Language: English
- (26) Publication Language: English
- (30) Priority Data:
60/390,562 22 June 2002 (22.06.2002) US
- (71) Applicant (for all designated States except US): SYNGENTA PARTICIPATIONS AG [CH/CH]; Schwarzwaldallee 215, CH-4058 Basel (CH).
- (72) Inventor; and
- (75) Inventor/Applicant (for US only): KHAN, Rafiqul [AU/US]; 3054 Cornwallis Road, Research Triangle Park, NC 27709 (US).
- (74) Common Representative: SYNGENTA PARTICIPATIONS AG; 3054 Cornwallis Road, Research Triangle Park, NC 27709 (US).

(81) Designated States (*national*): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW.


(84) Designated States (*regional*): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE, SI, SK, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

Declarations under Rule 4.17:

— as to applicant's entitlement to apply for and be granted a patent (Rule 4.17(ii)) for the following designations AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD,

[Continued on next page]

(54) Title: METHOD OF TRANSFORMING SOYBEAN



(57) Abstract: The present disclosure provides methods for *Agrobacterium*-mediated transformation of soybean cells or tissue and regeneration of the transformed cells or tissue into transformed plants. The methods may be used for transforming many soybean cultivars.



MG, MK, MN, MW, MX, MZ, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, UZ, VC, VN, YU, ZA, ZM, ZW, ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE, SI, SK, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG)

— as to the applicant's entitlement to claim the priority of the earlier application (Rule 4.17(iii)) for all designations

Published:

— without international search report and to be republished upon receipt of that report

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

METHOD OF TRANSFORMING SOYBEAN

CROSS REFERENCE TO RELATED APPLICATIONS

This application claims the benefit of United States Provisional Application Serial No. 60/390,562, filed June 22, 2002, the entire contents of which is hereby incorporated by reference.

FIELD OF THE INVENTION

The invention relates generally to methods for plant transformation and, more particularly, to methods for transforming soybean cells or tissues. The invention also relates to methods for regenerating transgenic soybean plants from transformed soybean cells or tissues. The invention also relates to transgenic soybean plants and seeds obtained by such methods.

BACKGROUND

Soybean is a major food and feed source that is grown on more acres worldwide than any other dicotyledonous crop. It is reportedly grown on more than 50 million hectares. Unfortunately, only a few plant introductions have given rise to the major cultivars grown in the United States and, as a consequence, this narrow germplasm base has limited soybean breeding potential. The limited genetic base in domestic soybean varieties has limited the power of traditional breeding methods to develop varieties with improved or value-added traits.

Hence, the use of genetic engineering techniques to modify soybean can facilitate the development of new varieties with, for example, traits such as herbicide resistance, disease resistance (such as virus resistance, for example), and seed quality improvement in a manner that has been unattainable by traditional breeding methods or tissue-culture induced variation.

The development of an efficient transformation system is necessary for the analysis of gene expression in plants. The requirements for such a system include a proper target plant tissue that will allow efficient plant regeneration, a gene delivery

vehicle that delivers foreign DNA efficiently into the target plant cells, and an effective method for selecting transformed cells. In genetic transformation of dicotyledonous species, transformation systems utilizing the bacterium *Agrobacterium tumefaciens* have been frequently used as vehicles for gene delivery. The preferred target tissues for *Agrobacterium*-mediated transformation presently include cotyledons, leaf tissues, and hypocotyls. High velocity microprojectile bombardment offers an alternative method for gene delivery into dicotyledonous plants.

Agrobacterium-mediated gene delivery in soybean has been far from routine. In reports that have been available to the public, meristems and cotyledon tissues have been frequently mentioned as targets for use in *Agrobacterium*-mediated gene delivery. However, reliable and efficient transformation and regeneration from these two explant sources are often not accomplished.

U.S. Patent No. 5,169,770 and 5,376,543 to Chee et al. discuss a non-tissue culture method of transforming soybeans to produce transgenic plants, wherein seeds are germinated and meristematic or mesocotyl cell tissues are inoculated with bacterial cells, specifically *Agrobacterium* strains, which, through infection, transfer DNA into the explants. This method depends on the growth of preformed shoots.

Parrott W.A. et al. (1989), "Recovery of primary transformants of soybean," Plant Cell Reports 7:615-617, report recovery of soybean transformants from immature cotyledon tissue after co-cultivation with *Agrobacterium*. However, the regenerated plants were chimeric, and the transgenes were not transmitted to the progeny.

U.S. Patent No. 5,416,011 (to Hinchey et al.) discusses utilizing a cotyledon explant, which requires removal of the hypocotyl, saving and separating the cotyledons and inserting a chimeric gene by inoculation with *Agrobacterium tumefaciens* vectors containing the desired gene.

Yan B. et al. (2000), "*Agrobacterium tumefaciens* - mediated transformation of soybean using immature zygotic cotyledon explants," Plant Cell Reports 19:1090-1097,

report an overall 0.03% transformation frequency in *Agrobacterium*-mediated transformation in soybean with immature cotyledons.

U.S. Patent No. 6,384,301 to Martinell et al. describes *Agrobacterium*-mediated gene delivery into cells in the meristem of an isolated soybean embryonic axis. Their method does not involve a callus-phase tissue culture.

From the work described above, it is clear that the goal of establishing a reliable soybean transformation system is seldom accomplished by the workers involved when meristems and cotyledon tissues are used as source explants for *Agrobacterium*-mediated gene delivery. Therefore, there is a need to continue to exploit new methodology, including new source explants, in order to develop a more efficient soybean transformation system.

It has been demonstrated in soybean tissue culture that plant regeneration may be achieved from epicotyl tissues and primary leaf tissues. However, to-date, no successful transformation has been reported in soybean using these two explant sources as targets for gene delivery.

Wright M.S. et al. (1987) "Initiation and propagation of *Glycine max* L. Merr.: Plants from tissue-cultured epicotyls," Plant Cell Reports 8:83-90, describes successful initiation and proliferation of shoots from epicotyl tissue of soybean. Explanted epicotyls were induced to form shoots in Schenk and Hildebrandt medium containing 20 μ M kinetin for 5 weeks. Shoot proliferation was maintained on N6 medium containing 2.1 nM picloram and 0.1 μ M benzyladenine.

Wright M.S. et al. (1987) "Regeneration of soybean (*Glycine max* L. Merr.) from cultured primary leaf tissue," Plant Cell Reports 6:83-89, describes a reproducible method for regeneration of plants from primary leaf tissue of 27 varieties of soybean. They found that while 2,4,5-trichlorophenoxyacetic acid was demonstrated to be essential for regeneration, addition of benzyladenine (BA) was found to enhance regeneration.

Rajasckaren K. et al. (1997) "Somatic embryogenesis from cultured epicotyls and primary leaves of soybean (*Glycine max* L. Merr)," *In Vitro Cellular & Developmental Biology* 33(2):88-91, describes regeneration of several varieties of soybean by somatic embryogenesis from cultured epicotyls and primary leaf tissues of immature seeds from greenhouse grown plants. They found that somatic embryogenesis was induced from epicotyls and primary leaves when cotyledon halves with the intact zygotic embryo axes were cultured on Murashige and Skoog (MS) medium supplemented with 46.2 μ M 2,4-D. In the absence of being cultured with the cotyledon halves, no embryogenesis was observed from isolated axes, epicotyls or primary leaves. Rapid multiplication of shoot tips from germinating somatic embryos was achieved on Cheng's basal medium containing 11.3 μ M benzyladenine.

SUMMARY

The present invention provides a method for transforming soybean cells and regeneration of the transformed cells into transformed plants. The method may be used for transforming many soybean cultivars.

The invention provides a novel soybean explant that enables *Agrobacterium tumefaciens*-mediated gene delivery into soybean cells with high efficiency.

In particular, the invention provides a method for transforming soybean cells or tissue, the method comprising:

- (a) preparing an explant from a soybean seed by:
 - (i) removing all or a part of the hypocotyl from said seed;
 - (ii) removing one cotyledon along with its adjacent axillary bud from the seed, and leaving one cotyledon with the epicotyl and primary leaves attached thereto;
 - (iii) removing a portion of a primary leaf from the remaining cotyledon, thereby generating a primary leaf base; and
- (b) co-cultivating the explant with *Agrobacterium* comprising a nucleic acid of interest to be incorporated into the genome of the soybean cells.

In additional embodiments, the method further includes one or more of the following: inducing shoot formation from the primary leaf base and the adjacent epicotyl; cultivating the shoot in a medium containing a selection agent; selecting a transformed shoot; and regenerating a transformed plant from the transformed shoot.

In a further embodiment, the invention provides a method for producing a stably transformed soybean plant, the method comprising:

- (a) preparing an explant from a soybean seed by:
 - (i) removing all or a part of the hypocotyl from said seed;
 - (ii) removing one cotyledon along with its adjacent axillary bud from the seed, and leaving one cotyledon with the epicotyl and primary leaves attached thereto;
 - (ii) removing a portion of a primary leaf from the epicotyl, thereby generating at least one primary leaf base;
- (b) co-cultivating the explant with *Agrobacterium* comprising a nucleic acid of interest to be incorporated into the genome of the soybean cells;
- (c) inducing shoot formation from the primary leaf base area;
- (d) cultivating a formed shoot in a medium containing a selection agent;
- (e) selecting a transformed shoot; and
- (f) regenerating a selected transformed shoot into a soybean plant.

In another embodiment, a portion of each of the primary leaves of the explant generated in (a)(ii) is removed, thereby generating a pair of primary leaf bases.

The method of the invention may be employed to introduce any desired nucleic acid into a soybean cell. In one embodiment of the invention, the nucleic acid comprises a gene that would express a desirable agronomic trait in soybean.

In another embodiment of the invention, the nucleic acid comprises a phosphomannose isomerase gene, which is used as a selectable marker gene.

In an additional embodiment of the invention, the co-cultivating of the explant with *Agrobacterium* is carried out in the presence of mannose.

Both mature and immature seeds may be employed to generate the explant used in the present invention.

BRIEF DESCRIPTION OF THE FIGURES

FIG. 1 shows a map of plasmid pNOV2105.

FIG. 2 shows a map of plasmid pNOV2145.

FIG. 3 shows a map of plasmid pNOV2147.

FIG. 4 shows an exemplary process for preparing a soybean explant. Panel A depicts a soybean seed embryo in which a part of the hypocotyl is removed. Panel B depicts the soybean explant from Panel A in which one cotyledon is removed along with its adjacent axillary bud. Panel C depicts the soybean explant from Panel B after removal of the two primary leaves, generating a break point at the base of each primary leaf.

FIG. 5 shows a map of plasmid pBSC11234.

FIG. 6 shows a map of plasmid pBSC11369.

DETAILED DESCRIPTION

The present invention will now be described more fully hereinafter with reference to the accompanying figures, in which various embodiments of the invention are described. This invention may, however, be embodied in different forms and should not be construed as limited to the embodiments set forth herein. Rather, these embodiments are provided so that this disclosure will be thorough and complete and will fully convey the scope of the invention to those skilled in the art. The terminology used in the description of the invention herein is for the purpose of describing particular embodiments only and is not intended to be limiting of the invention. As used in the description of the invention and the appended claims, the singular forms "a", "an" and

"the" are intended to include the plural forms as well, unless the context clearly indicates otherwise.

Unless otherwise defined, all technical and scientific terms used herein have the same meaning as commonly understood by one of ordinary skill in the art to which this invention belongs.

Except as otherwise indicated, standard methods may be used for the production of cloned genes, expression cassettes, vectors (*e.g.*, plasmids), proteins and protein fragments, and transformed cells and plants according to the present invention. Except as otherwise indicated, standard methods may be used for the production of cloned genes, expression cassettes, vectors (*e.g.*, plasmids), proteins and protein fragments according to the present invention. Such techniques are known to those skilled in the art. *See e.g.*, J. Sambrook et al., *Molecular Cloning: A Laboratory Manual Second Edition* (Cold Spring Harbor Laboratory, Cold Spring Harbor, New York, 1989), and F. M. Ausubel et al., *Current Protocols In Molecular Biology* (Green Publishing Associates, Inc. and Wiley-Interscience, New York, 1991); J. Draper et al., eds., *Plant Genetic Transformation And Gene Expression: A Laboratory Manual*, (Blackwell Scientific Publications, 1988); and S.B. Gelvin & R.A. Schilperoort, eds., *Introduction, Expression, And Analysis Of Gene Production In Plants*.

The present invention is drawn to methods and compositions for the stable transformation of soybean with nucleic acid sequences of interest and the regeneration of transgenic soybean plants.

The methods of the invention may be employed to express any nucleic acid of interest in soybean plants. A gene of interest may be, for example, a gene for herbicide resistance, disease resistance, or insect/pest resistance, or is a selectable or scorable marker, and comprises a plant-operable promoter, a coding region, and a 3' terminator region. Herbicide resistance genes include the AHAS gene for resistance to imidazolinone or sulfonyl urea herbicides, the *pat* or *bar* gene for resistance to bialaphos

or glufosinate, the EPSP synthase gene for resistance to glyphosate, etc. Disease resistance genes include genes for antibiotic synthetic enzymes, e.g., for pyrrolnitrin synthetic enzymes, plant derived resistance genes, and the like. Insect resistance genes include genes for insecticidal proteins from *Bacillus thuringiensis*. Genes of interest may also encode enzymes involved in biochemical pathways, the expression of which alters a trait that is important in food, feed, nutraceutical, and/or pharmaceutical production. The gene of interest may be located on a plasmid. A plasmid suitable for use in the present invention may comprise more than one gene of interest and/or the *Agrobacterium* may comprise different plasmids having different genes of interest.

The present invention provides a method for the transformation of varieties of soybean, including *Glycine max*. The method is based on *Agrobacterium*-mediated delivery of a desired gene into a soybean cell followed by regeneration of transformed cell(s) into a transformed soybean plant. The methods of the invention are cultivar independent.

In one embodiment of the invention, an explant is prepared by germinating a soybean mature seed or immature seed collected from a greenhouse grown plant in a seed germination medium for a period of time, removing seed coat and, subsequently, a cotyledon from said mature seed or immature seed. In a preferred embodiment of the invention, a portion of the exposed primary leaves is then removed, thereby creating a break point at the primary leaf base (FIG. 4). *Agrobacterium*-mediated gene delivery is made into the cells at the primary leaf base or in the area of the primary leaf break point. Adventitious shoots are induced from the primary leaf base area of the epicotyl. This induction is achieved by removing pre-existing meristems (i.e., primary, secondary, and axillary meristems) and subjecting the explant to a shoot induction medium containing appropriate growth regulators. The shoot induction process facilitates the development or regeneration of transformed shoots from the targeted primary leaf base cells.

Transformed soybean cells are cultured in the presence of a selection agent. Preferably, the cells are transformed with a phosphomannose isomerase (PMI) gene, and

the transformed cells are cultivated in the presence of mannose. In a medium that contains mannose as a selection agent, soybean cells transformed with a PMI gene have a growth advantage over those that are not so transformed.

The time required for regenerating a transformed soybean plant using the method described in this invention is significantly reduced compared to other *Agrobacterium*-mediated transformation protocols that are reported in the literature. A rooted transformed soybean shoot may be produced 8 to 12 weeks from the initiation of a transformation experiment. A foreign genetic construct, or transgene, to be inserted into the soybean genome is created in vitro by normal techniques of recombinant DNA manipulations. The construct may be comprised of any heterologous nucleic acid. The genetic construct is transformed into the *Agrobacterium* strain for delivery into the soybean cells. The *Agrobacterium* is non-oncogenic, and several such strains are now widely available. The *Agrobacterium* is preferably selected from *A. tumefaciens* and *A. rhizogenes*.

The foreign genetic construct preferably comprises a selectable marker gene. The preferred selectable marker gene is a phosphomannose isomerase gene. Other suitable selectable marker genes include, but are not limited to, genes encoding: neomycin phosphotransferase II (Fraley et al., *CRC Critical Reviews in Plant Science* 4, 1 (1986)); cyanamide hydratase (Maier-Greiner et al., *Proc. Natl. Acad. Sci. USA* 88, 4250 (1991)); aspartate kinase; dihydrodipicolinate synthase (Perl et al., *BioTechnology* 11, 715 (1993)); *bar* gene (Toki et al., *Plant Physiol.* 100, 1503 (1992); Meagher et al., *Crop Sci.* 36, 1367 (1996)); tryptophane decarboxylase (Goddijn et al., *Plant Mol. Biol.* 22, 907 (1993)); neomycin phosphotransferase (*NEO*; Southern et al., *J. Mol. Appl. Gen.* 1, 327 (1982)); hygromycin phosphotransferase (*HPT* or *HYG*; Shimizu et al., *Mol. Cell. Biol.* 6, 1074 (1986)); dihydrofolate reductase (*DHFR*); phosphinothricin acetyltransferase (DeBlock et al., *EMBO J.* 6, 2513 (1987)); 2,2-dichloropropionic acid dehalogenase (Buchanan-Wollaston et al., *J. Cell. Biochem.* 13D, 330 (1989)); acetohydroxyacid synthase (United States Patent No. 4,761,373 to Anderson et al.; Haughn et al., *Mol. Gen. Genet.* 221, 266 (1988)); 5-enolpyruvyl-shikimate-phosphate synthase (*aroA*; Comai et

al., *Nature* 317, 741 (1985)); haloarylnitrilase (WO 87/04181 to Stalker et al.); acetyl-coenzyme A carboxylase (Parker et al., *Plant Physiol.* 92, 1220 (1990)); dihydropteroate synthase (*sulI*; Guerincau et al., *Plant Mol. Biol.* 15, 127 (1990)); and 32 kDa photosystem II polypeptide (*psbA*; Hirschberg et al., *Science* 222, 1346 (1983)).

Also included are genes encoding resistance to chloramphenicol (Herrera-Estrella et al., *EMBO J.* 2, 987 (1983)); methotrexate (Herrera-Estrella et al., *Nature* 303, 209 (1983); Meijer et al., *Plant Mol. Biol.* 16, 807 (1991)); hygromycin (Waldron et al., *Plant Mol. Biol.* 5, 103 (1985); Zhijian et al., *Plant Science* 108, 219 (1995); Meijer et al., *Plant Mol. Bio.* 16, 807 (1991)); streptomycin (Jones et al., *Mol. Gen. Genet.* 210, 86 (1987)); spectinomycin (Bretagne-Sagnard et al., *Transgenic Res.* 5, 131 (1996)); bleomycin (Hille et al., *Plant Mol. Biol.* 7, 171 (1986)); sulfonamide (Guerineau et al., *Plant Mol. Bio.* 15, 127 (1990)); bromoxynil (Stalker et al., *Science* 242, 419 (1988)); 2,4-D (Streber et al., *Bio/Technology* 7, 811 (1989)); phosphinothricin (DeBlock et al., *EMBO J.* 6, 2513 (1987)); spectinomycin (Bretagne-Sagnard and Chupeau, *Transgenic Research* 5, 131 (1996)).

In one embodiment, the starting material for the transformation process is a soybean mature seed. In another embodiment, the starting material can be a soybean immature seed from a growing soybean plant. The seed is placed on a germination medium and permitted to germinate for a period of 6-24 hours, preferably for about 6-14 hours, and more preferably for about 8-12 hours. Seeds may also be allowed to germinate for a longer period of time, for example, from 2 to 5 days, if desired.

The seed coat and hypocotyl of the germinating seed is removed. One cotyledon along with its adjacent axillary shoot bud is also removed. Afterwards, the primary leaves are substantially removed, thereby creating an explant comprising the primary leaf base, epicotyl to which the leaf base is attached, and a cotyledon to which the epicotyl is attached. Substantially removed means removal of a major portion of primary leaf tissue.

For *Agrobacterium*-mediated gene transfer, wounding of the plant tissue is known to facilitate gene transfer. Therefore it is preferred, but not necessary, that a wound is created at the leaf base region.

The explant, prepared as described above, is then immersed into an *Agrobacterium* cell suspension for a few minutes to a few hours, typically about 0.5-3 hours, and preferably 1-2 hours. Excessive *Agrobacterium* cell suspension is removed and the remaining *Agrobacterium* are permitted to co-cultivate with the explant on a co-cultivation medium for several days, typically two to five days, and preferably three to four days, under 16h light/8h dark conditions at a temperature of about $22^{\circ}\text{C} \pm 2^{\circ}\text{C}$.

After co-cultivation, the explant is transferred to a medium (or a series of media) conducive to shoot development and selection of transformed cells, for 8-12 weeks. Such a medium (or media) generally contains a shoot-inducing hormone as well as a selection agent. The regeneration media used in the examples below contain mannose, as the selection agent, as well as benzylaminopurine (BAP), a shoot-inducing hormone. The term hormone also includes cell growth regulating compounds that induce shoot formation, including, but not limited to, auxins (such as, e.g., IAA, NAA, and indole butyric acid (IBA)), cytokinins (such as, e.g., thidiazuron, kinetin, and isopentenyl adenine), and/or gibberellic acids (GA_3).

When shoots reach about 2 cm and with full trifoliate leaf formation, shoots are separated from the explant and placed on a rooting medium to induce root formation. Preferably, the rooting medium also contains a selection agent to further help identify potential transformed shoots. Root formation takes approximately 1-2 weeks, following which the plants can be transferred to soil and grown to full maturity.

Transgenic plants comprising a heterologous nucleic acid (i.e., comprising cells or tissues transformed in accordance with the methods described herein), as well as the seeds and progeny produced by the transgenic plants, are an additional aspect of the present invention. Procedures for cultivating transformed cells to useful cultivars are

known to those skilled in the art. Techniques are known for the in vitro culture of plant tissue, and in a number of cases, for regeneration into whole plants. A further aspect of the invention is transgenic plant tissue, plants, or seeds containing the nucleic acids described above. In a preferred embodiment, transformed plants produced using the methods described herein are not chimeric, or only a small proportion of transformed plants is chimeric. This is preferably achieved by extending the period of high cytokinin treatment or by increasing the stringency of mannose selection, or both.

Thus, the transformed cells of the present invention, identified by selection or screening and cultured in an appropriate medium that supports regeneration as provided herein, may then be allowed to mature into plants. Plants are preferably matured either in a growth chamber or greenhouse. Plants are regenerated from about 2-6 weeks after a transformant is identified, depending on the initial tissue. During regeneration, cells may be grown on solid media in tissue culture vessels. Illustrative embodiments of such vessels are petri dishes and Plant Con[®]s. After the regenerating plants have reached the stage of shoot and root development, they may be transferred to a greenhouse for further growth and testing. As provided above, seeds and progeny plants of the regenerated plants are an aspect of the present invention. Accordingly, the term "seeds" is meant to encompass seeds of the transformed plant, as well as seeds produced from the progeny of the transformed plants. Plants of the present invention include not only the transformed and regenerated plants, but also progeny of transformed and regenerated plants produced by the methods described herein.

Plants produced by the described methods may be screened for successful transformation by standard methods described above. Seeds and progeny plants of regenerated plants of the present invention may be continuously screened and selected for the continued presence of the transgenic and integrated nucleic acid sequence in order to develop improved plant and seed lines, which are another aspect of the present invention. Desirable transgenic nucleic acid sequences may thus be moved (i.e., introgressed or inbred) into other genetic lines such as certain elite or commercially valuable lines or varieties. Methods of introgressing desirable nucleic acid sequences into genetic plant

lines may be carried out by a variety of techniques known in the art, including by classical breeding, protoplast fusion, nuclear transfer and chromosome transfer. Breeding approaches and techniques are known in the art, and are set forth in, for example, J. R. Welsh, *Fundamentals of Plant Genetics and Breeding* (John Wiley and Sons, New York, (1981)); Crop Breeding (D. R. Wood, ed., American Society of Agronomy, Madison, Wisconsin, (1983)); O. Mayo, *The Theory of Plant Breeding*, Second Edition (Clarendon Press, Oxford, England (1987)); and Wricke and Weber, *Quantitative Genetics and Selection Plant Breeding* (Walter de Gruyter and Co., Berlin (1986)). Using these and other techniques in the art, transgenic plants and inbred lines obtained according to the present invention may be used to produce commercially valuable hybrid plants and crops, which hybrids are also an aspect of the present invention.

The foregoing is illustrative of the various embodiments of the present invention and is not to be construed as limiting thereof.

The invention will be further described by the following examples, which are not intended to limit the scope of the invention in any manner.

EXAMPLE 1

Transformation Vectors

The plasmid pNOV2105 (FIG. 1) is a modification of pVictor, which is disclosed and described in WO 97/04112 in that the 35S promoter is replaced with a SMAS promoter, the 35S terminator is replaced with the Nos terminator, and an additional SMAS promoter is inserted upstream of the GUSintronGUS sequence, which is flanked on its 3' end by a Nos terminator. pNOV2105 employed in the methods described herein does not contain the multicloning site that is found in pVictor. However, it is well within the skill in the art to add such a cloning site, if desired.

pNOV2105 (FIG. 1) is a vector for *Agrobacterium*-mediated plant transformation and contains the Ti right and left border sequences from the nopaline type pTiT37

plasmid (Yadav et al. 1982 Proc Natl Acad Sci 79:6322-6326) flanking the genes phosphomannose isomerase (PMI) and beta-glucuronidase (GUS).

For replication and maintenance in *E. coli*, the plasmid contains the origin of replication from the *E. coli* plasmid pUC19 (pUC19ori) (Yanish-Perron et al. 1985 Gene 33:103-119), and for replication and maintenance in *Agrobacterium tumefaciens* the plasmid further contains the origin of replication from the *Pseudomonas* plasmid pVS1 (pVS1ori) (Itoh et al. 1984 Plasmid 11:206-220; Itoh and Haas 1985 Gene 36:27-36). For selection in *E. coli* and *Agrobacterium tumefaciens*, the plasmid contains the spectinomycin/streptomycin resistance gene (spec/strep) from the transposon Tn7 encoding the enzyme 3''(9)-O-nucleotidyltransferase (Fling et al. 1985 Nucleic Acids Res 19:7095-7106). The spec/strep resistance gene is fused to the tac promoter (see, e.g., Amann et al. 1983 Gene 25(203):167-78) for efficient expression in the bacterium.

The T-DNA segment between the right and left border harbors the following genes, which are the only genes transferred to the soybean plant via the *Agrobacterium tumefaciens*-mediated transformation.

GUSintronGUS

beta-glucuronidase (GUS): This segment next to the right border contains the beta-glucuronidase gene (GUS) from *E. coli* with an intron in the coding region to prevent translation by *Agrobacterium* fused to the SMAS promoter and Nos terminator. The GUSintronGUS gene was isolated from plasmid pBISN1. (Narasimhulu et al. 1986 Early transcription of *Agrobacterium* DNA in tobacco and maize, Plant Cell 8:873-866).

phosphomannose isomerase (PMI): This segment next to the left border is the mannose-6-phosphate isomerase gene from *E. coli* (Miles and Guest 1984, Gene 32:41-48) fused to the SMAS promoter (Ni M, Cui D, Einstein J, Narasimhulu S, Vergara CE, Gelvin SB (1995) and Nos terminator. The phosphomannose isomerase gene is used as a selection marker to select transgenic shoots on media containing D-mannose as the carbon source.

The components and sequence of pNOV2145 (FIG. 2) are set forth in SEQ ID NO:1. The components and sequence of pNOV2147 (FIG. 3) are set forth in SEQ ID NO:2.

EXAMPLE 2

Transformation and Regeneration

Mature dried soybean seeds (Var. S42 H1) were surface sterilized by releasing chlorine gas inside a desiccator. Seeds were kept in petri plates and chlorine gas was produced by pouring 100 ml of Clorox® into a beaker and slowly adding 8 ml of concentrated HCl. Seeds were sterilized by at least two gas release treatments each lasting for 8-18 hours.

Sterilized seeds (approximately 15-20 seeds per plate) were then placed on a germination medium containing 0.6% agar-solidified MS basal medium (Murashige and Skoog (1962) A revised medium for rapid growth and bioassays with tobacco callus cultures. *Physiol Plant* 15: 473-479) and 2% sucrose. The pH was maintained at 5.8. The petri plates were placed in a room at 37° C for overnight growth or imbibition of seeds. The seed coat was removed, followed by removing part of the hypocotyl, keeping about 0.5 cm of the hypocotyl. One cotyledon was removed along with its adjacent axillary shoot bud and was discarded. On the remaining cotyledon, the primary leaves were broken apart using a scalpel, leaving the primary leaf bases on the epicotyl. (FIG. 4)

Agrobacterium strain (LBA 4404) containing the plasmid pNOV 2145 (ZsGreen1 and PMI, as described in Example 1) was streaked from frozen glycerol stocks onto YEP plates (yeast extract 10 g/L, peptone 5 g/L, NaCl 5g/L, bacto agar 15 g/L) containing appropriate antibiotic (100 mg/L spectinomycin). *Agrobacterium* was then incubated at 27° C for 1-2 days. A scoop of *Agrobacterium* from plates were grown on 100 ml YEP liquid medium containing an antibiotic (100 mg/L spectinomycin) for overnight growth at 27° C on a shaker. Bacterial suspensions were centrifuged at about 1500 g for 15 minutes and resuspended to a density of OD₆₆₀ = 0.2 or 0.65 in a co-cultivation liquid

medium (B₅ salts 0.05X (Sigma), B₅ vitamins (0.05X) (B₅ vitamin composition (1X): inositol 100 mg/L, nicotinic acid 1 mg/L, pyridoxine HCl 1 mg/L, thiamine HCl 10 mg/L), acetosyringone 40 mg/L, sucrose 20 g/L, BAP 2 mg/L, GA₃ 0.25 mg/L, MES (Morpholino ethanesulfonic acid) 3.9 g/L, and pH 5.4.

The explants containing the target tissue were immersed into *Agrobacterium* suspension and incubated for 1-2 hours. The *Agrobacterium* suspension was poured off, and the treated explants were placed onto a filter paper inside co-cultivation plates. The adaxial side of the explants was kept in contact with the filter paper. The co-cultivation solid medium was composed of B₅ salts (Sigma, 0.05X), B₅ vitamins (0.05X), 40 mg/L acetosyringone, sucrose 20 g/L, BAP 2 mg/L, GA₃ 0.25 mg/L, MES 3.9 g/L, and pH 5.4. The medium was solidified with 0.5% purified agar (Sigma).

The explants were co-cultivated with the *Agrobacterium* at 20-23° C for a period of 2-5 days, under 16h light/8h dark conditions. After co-cultivation, the explants were washed in sterile water containing 250 mg/L cefotaxime, primary and secondary meristems were removed, and the explants were transferred to regeneration medium (i.e., REG-1 medium). During the regeneration process, any axillary shoots adjacent to the cotyledon were also removed to encourage growth from the area of the primary leaf base.

REG-1 medium contained MS salts (1X), B₅ vitamins (1X), KNO₃ 1 g/L, BAP 1 mg/L, ticarcillin 300 mg/L, cefotaxime 100 mg/L, glutamine 250 mg/L, asparagine 50 mg/L, mannose 15-30 g/L, sucrose 0, 0.25, and 1 g/L, pH 5.6, and purified agar 10 g/L. Five explants were placed in each petri plate in an upright position, such that the epicotyl end of the explant was inserted into the medium. The plates were kept inside a plastic container and placed in a culture room at 22-25° C, under an 18-20 hr light/4-6 hr dark cycle at 60-100 $\mu\text{E m}^{-2} \text{S}^{-1}$. After 2 weeks on REG-1 medium, explants were transferred to REG-2 medium, which contained MS salts (1X) and B₅ vitamins (1X), KNO₃ 1 g/L, BAP 0.5 mg/L, ticarcillin 300 mg/L, cefotaxime 100 mg/L, glutamine 250 mg/L, asparagine 50 mg/L, mannose 15 g/L, and sucrose 1g/L. The media pH was maintained at 5.6, and the media was solidified with purified agar 10 g/L.

At 4-6 weeks, the soybean cultures were transferred to REG-3 medium for continuing selection and shoot development. REG-3 medium contained MS salts (1X), B₅ vitamins (1X), KNO₃ 1 g/L, BAP 0.2 mg/L, GA₃ 0.5 mg/L, IBA 0.1 mg/L, ticarcillin 300 mg/L, cefotaxime 100 mg/L, glutamine 250 mg/L, asparagine 50 mg/L, mannose 15 g/L, sucrose 1g/L, pH 5.6, and the medium was solidified with purified agar 10 g/L. Dead tissue was removed and explants with regenerating shoots were subcultured in fresh REG-3 medium every two weeks. Elongated shoots were continuously harvested from the cultures when they reached about 2-4 cm in length. At that time, shoots were transferred to a rooting medium, which contained MS salts (0.5X), B₅ Vitamins (0.5X), glutamine 250 mg/L, asparagine 50 mg/L, KNO₃ 1 g/L, cefotaxime 100 mg/L, ticarcillin 300 mg/L, sucrose 15 g/L, IBA 0.5 mg/L, pH 5.6, and purified agar 10g/L.

Rooted transgenic shoots expressing a fluorescent protein gene (ZsGreen1) were transferred to 2" pots which contained moistened Fafard germinating mix (Conrad Fafard Inc., MA, USA) and were kept covered with plastic cups for maintaining moisture for approximately 2 weeks. Plants were acclimatized at 27-29° C day temperature, 21° C night temperature, and a 16h photoperiod (20-40 $\mu\text{E m}^{-2} \text{S}^{-1}$ light intensity). When new leaves began to emerge, plants were transferred to one-gallon pots which contained a soil mixture composed of 50-55% composted pine bark, 40-45% Peat, 5-10% Perlite (Sungrow Horticultural Supply, Pine Bluff, Arkansas). Acclimatized soybean plants were grown in the greenhouse at 27-29° C day temp, 21° C night temp, 400-600 $\mu\text{E m}^{-2} \text{S}^{-1}$ light intensity, 70-95% relative humidity, and a 16 hr photoperiod. The plants were fertilized with osmocote (Scotts-Sierra Horticultural Products Company, Ohio; 17-6-12) twice (5-8 g/gallon soil) during the growth period. Transformation was confirmed by Taqman analysis for the presence of the fluorescent protein gene as well as the PMI gene in the leaves of the greenhouse grown plants. Expression of the fluorescent protein gene in the transformed soybean tissue was also confirmed by visualizing the expression using a fluorescent microscope.

Six transgenic plants developed using the gene construct pNOV2145 were confirmed by Southern blot analyses. Progeny analysis of one event for either the PMI gene or the ZsGreen1 gene revealed one integration site of the T-DNA into the genome

of the transformed soybean, and the progeny segregated in a 3:1 ratio in the T₁ generation.

Table 1. Transformed shoots expressing fluorescent protein gene (Zsgreen1)

Expt No.	Gene construct	Transformed shoots/explant	Percent tr. shoots
75	pNOV2145	5/45	11
89	pNOV2145	5/75	7

EXAMPLE 3

Soybean seeds (Var. S42 H1) were surface sterilized and explants were prepared as described in Example 2.

Agrobacterium strain (LBA 4404) carrying the plasmid pNOV2147 was prepared as described in Example 1. The final bacterial concentration was adjusted to OD₆₆₀ = 0.60 with a co-cultivation liquid medium. The conditions for explant preparation, *Agrobacterium* inoculation, and co-cultivation were the same as those described in Example 2.

Following three days of co-cultivation in a solid co-cultivation medium, excessive *Agrobacterium* was washed off, primary and secondary meristems were removed, and the explants were transferred to REG-1 medium. They were cultured at 28-30° C in 16h light and 8h dark conditions. After 2 weeks on REG-1 medium, the cultures were transferred to REG-2 medium. During this regeneration process, only shoots arising from the base of a primary leaf were kept. At about the 4th week, the shoot cultures were transferred to REG-3 medium. They were then transferred to fresh REG-3 medium every 10-14 days. As in REG-1 and REG-2 medium, only the new shoots arising from the base of a primary leaf were kept while the rest of the shoots were removed. When elongated shoots reached about 2-4 cm in length, they were separated from the rest of the shoot cultures and transferred to rooting medium.

Five transgenic shoots out of 35 explants were identified as expressing the cyano fluorescent protein gene (Table 2).

Table 2. Transformed shoots expressing the cyano fluorescent protein gene

Experiment No.	Gene construct	Transformed shoots/explants	% transformed shoots
92	pNOV2147	5/35	14

EXAMPLE 4

Mannose treatment during co-cultivation

The gene construct used in this example was pNOV2145 (which comprises ZsGreen1 and PMI genes, as described in Example 1). The procedures for preparing the explants, *Agrobacteria* suspensions, and inoculation of explants with bacterial suspensions were carried out as described in Example 2. The final bacterial concentration was adjusted to $OD_{660} = 0.55$ or 0.85 .

Following the inoculation step, explants were transferred to a co-cultivation medium containing either 20 g/L sucrose or 15 g/L mannose and were kept at 20-23° C under 16h light and 8h dark conditions.

After 3-5 days of co-cultivation, expression of the fluorescent protein gene was visualized using a fluorescent microscope. Explants that were inoculated with *Agrobacterium* in a mannose-containing co-cultivation medium showed at least two-fold the number of fluorescent spots compared to those co-cultivated in a sucrose-containing co-cultivation medium. Subsequent shoot regeneration and selection steps were followed as those described in Example 2.

A significant increase in the production of transformed shoots was observed in the experiments where mannose was included in the co-cultivation medium (Table 3). Five transformed shoots from co-cultivation medium that included mannose were rooted and transferred to soil. Subsequent analysis by Taqman as well as Southern blot confirmed the integration of the transgenes. Transgene expression in the T1 progeny confirmed the germline transmission of the transgenes.

Table 3. Transformed shoots expressing ZsGreen1 fluorescent protein gene where explants and Agrobacteria were co-cultivated in mannose or sucrose

Experiment No.	Gene construct	Co-culture in mannose/sucrose	Transformed shoots/explants	% Transformation
87	pNOV2145	Sucrose	0/60	0
		Mannose	6/80	7.5
102	pNOV2145	Sucrose	1/20	5
		Mannose	8/40	20

EXAMPLE 5

In this example, *Agrobacterium* EHA101 comprising the plasmid pNOV2105 (SMAS-PMI SMAS-GUS, as described in Example 1) was used in soybean transformation. The preparation of the explants, Agrobacteria suspension, and inoculation of explants with Agrobacteria were the same as those described in Example 2. The final bacterial concentration was adjusted to $OD_{660} = 0.45$ or 0.6 .

Following *Agrobacterium* inoculation, explants were transferred to a co-cultivation medium containing either 20 g/L sucrose or 15 g/L mannose. Co-cultivation was carried out at 20-23° C under a 16h light and 8h dark conditions. Following 3-5 days of co-cultivation, GUS gene expression was visualized using a histochemical gus assay. Explants co-cultivated in mannose-containing co-cultivation medium showed at least two-fold the number of GUS spots compared to those co-cultivated in sucrose-containing co-cultivation medium. Shoot regeneration and selection were carried out as described in Example 2. A significant increase in the production of transformed shoots was observed in the experiment in which mannose was added into the co-cultivation medium. (Table 4).

Table 4. Transformed shoots expressing GUS gene

Experiment No.	Gene construct	Co-cultivation in mannose/sucrose	Transformed shoots/explant	% Transformation
63	pNOV2105	sucrose	5/60	8
81	pNOV2105	Sucrose	2/30	7
		Mannose	5/30	17

EXAMPLE 6

In this example, *Agrobacterium* EHA101 comprising the plasmid pBSC11234 (FIG. 5) was used in soybean transformation. The components and sequence of pBSC11234 are set forth in SEQ ID NO:3. pBSC11234 comprises a CMP-PMI : beta conglycinin-galactosidase gene construct. The preparation of the explants, *Agrobacterium* suspension, and inoculation of explants with *Agrobacterium* were the same as those described in Example 2. The final bacterial concentration was adjusted to OD₆₆₀ = 0.6. The co-cultivation liquid medium contained B₅ salts (0.1X), B₅ vitamins (1X), acetosyringone 80 mg/L, sucrose 20 g/L, BAP 2 mg/L, GA₃ 0.25 mg/L, MES 3.9 g/L, and pH 5.4. Solid co-cultivation medium was prepared by incorporating 5 g/L purified agar to the liquid co-cultivation medium.

Following *Agrobacterium* inoculation, explants were transferred to a solid co-cultivation medium and cultured at 20-24° C under 16h light and 8h dark conditions. Following 3-5 days of co-cultivation, primary and secondary shoot meristems were removed and discarded, and the resulting explants were transferred to REG-4 medium, which contained B₅ salts (1X), B₅ Vitamins (1X), BAP 1 mg/L, glutamine 50 mg/L, asparagine 50 mg/L, cefotaxime 100 mg/L, ticarcillin 300 mg/L, mannose 15-20 g/L, sucrose 0, 0.25, or 1 g/L, purified agar 10 g/L, and pH at 5.6. After a period of 5-7 days, any shoot grown from the axillary meristem close to the cotyledon was removed, and the explants were transferred to REG-5 medium, which contained B₅ salts (1X), B₅ Vitamins (1X), BAP 0.5 mg/L, glutamine 50 mg/L, asparagine 50 mg/L, cefotaxime 100 mg/L, ticarcillin 300 mg/L, mannose 15 g/L, sucrose 1 g/L, purified agar 10 g/L, and pH at 5.6.

At four weeks, explants were transferred to REG-6 medium for elongation of shoots. REG-6 medium contained MS salts (1X), MS Vitamins (1X) (MS vitamin composition: inositol 100 mg/L, nicotinic acid 0.5 mg/L, pyridoxine HCl 0.5 mg/L, thiamine HCl 0.1 mg/L, glycine 2 mg/L), myo-inositol 200 mg/L, BAP 0.2 mg/L, zeatin riboside 0.5 mg/L, IBA 0.1 mg/L, GA₃ 1 mg/L, glutamine 50 mg/L, asparagine 50 mg/L, ticarcillin 300 mg/L, mannose 15 g/L, sucrose 5 g/L, silver nitrate 0.8 mg/L, purified agar 10 g/L, and pH 5.6. Explants were transferred to fresh REG-6 medium every two weeks. Elongated shoots (2-4 cm long) were removed and rooted in rooting medium and transferred to soil. The rooting medium contained MS salts (1X), B₅ Vitamins (1X), glutamine 100 mg/L, asparagine 100 mg/L, IBA 0.7 mg/L, timentin 100 mg/L, and sucrose 15 g/L. Taqman analysis confirmed the presence of the transgenes (alpha galactosidase and phosphomannose isomerase) in leaf samples from two events.

EXAMPLE 7

In this example, *Agrobacterium* EHA101 comprising the plasmid pBSC11369 (FIG. 6) was used in soybean transformation. The components and sequence of pBSC11369 are set forth in SEQ ID NO:4. pBSC11369 comprises a CMP-HPT: CMP-ZsGreen1 gene construct. The preparation of the explants, *Agrobacteria* suspension, and inoculation of explants with *Agrobacteria* were the same as those described in Example 2. The final bacterial concentration was adjusted to OD₆₆₀ = 0.6. The co-cultivation liquid medium contained B₅ salts (0.1X), B₅ vitamins (1X), acetosyringone 80 mg/L, sucrose 20 g/L, BAP 2 mg/L, GA₃ 0.25 mg/L, MES 3.9 g/L, and pH 5.4. Solid co-cultivation medium was prepared by incorporating 5 g/L purified agar to the liquid co-cultivation medium.

Following *Agrobacterium* inoculation, explants were transferred to a solid co-cultivation medium and cultured at 20-24° C under 16h light and 8h dark conditions. Following 3-5 days of co-cultivation, explants were transferred to REG-7 medium after removing primary and secondary meristems from the explants in order to encourage shoot growth from the primary leaf base area. REG-7 medium contained B₅ salts (1X), B₅ Vitamins (1X), BAP 1 mg/L, glutamine 50 mg/L, asparagine 50 mg/L, cefotaxime 100 mg/L, ticarcillin 300 mg/L, sucrose 30 g/L, hygromycin 2-5 mg/L, purified agar 10 g/L,

and pH 5.6. Explants were placed in an upright position such that the epicotyl end of the explant was inserted into the medium. After a period of 7-10 days, any shoots grown from the axillary meristem close to the cotyledon were removed. Explants were transferred to fresh REG-8 medium, which contained B₅ salts (1X), B₅ Vitamins (1X), BAP 0.5 mg/L, glutamine 50 mg/L, asparagine 50 mg/L, cefotaxime 100 mg/L, ticarcillin 300 mg/L, sucrose 30 g/L, purified agar 10 g/L, and pH at 5.6. After another two weeks, explants were transferred to REG-9 medium and subcultured thereafter every two weeks. REG-9 medium contained MS salts (1X), MS Vitamins (1X), myo-inositol 200 mg/L, BAP 0.2 mg/L, zeatin riboside 0.5 mg/L, IBA 0.1 mg/L, GA₃ 1 mg/L, glutamine 50 mg/L, asparagine 50 mg/L, silver nitrate 0.8 mg/L, ticarcillin 300 mg/L, sucrose 30 g/L, hygromycin 0.1-0.2 mg/L, purified agar 10 g/L, and pH 5.6. Elongated shoots (2-4 cm long) were removed, rooted in rooting medium, and then transferred to soil. The rooting medium contained MS salts (1X), B₅ Vitamins (1X), glutamine 100 mg/L, asparagine 100 mg/L, IBA 0.7 mg/L, timentin 100 mg/L, and sucrose 15 g/L. Taqman analysis confirmed the presence of the transgenes (HPT as well as ZsGreen1) in leaf samples obtained from five events. Expression of the ZsGreen1 gene in plant parts was confirmed by visualization under a fluorescent microscope.

All publications, patents, and patent applications cited herein are incorporated by reference. While in the foregoing specification this invention has been described in relation to certain preferred embodiments thereof, and many details have been set forth for purposes of illustration, it will be apparent to those skilled in the art that the invention is susceptible to additional embodiments and that certain of the details described herein may be varied considerably without departing from the basic principles of the invention.

CLAIMS

What is claimed is:

1. A method for transforming soybean cells or tissue, comprising:
 - (a) preparing an explant from a soybean seed by:
 - (i) removing a hypocotyl from said soybean seed;
 - (ii) removing one cotyledon along with its adjacent axillary bud, leaving primary leaves attached to a remaining cotyledon; and
 - (iii) removing a portion of a primary leaf from said remaining cotyledon, thereby generating a primary leaf base; and
 - (b) co-cultivating said explant with *Agrobacterium* comprising at least one nucleic acid of interest to be incorporated into a genome of one or more soybean cells.
2. The method of claim 1, further comprising cultivating at least one formed shoot in a medium containing a selection agent.
3. The method of claim 2, wherein said at least one nucleic acid of interest comprises a selectable marker gene.
4. The method of claim 3, wherein said selectable marker gene is a phosphomannose isomerase gene.
5. The method of claim 4, wherein said selection agent is mannose.
6. The method of claim 4, wherein co-cultivation with said *Agrobacterium* is carried out in the presence of mannose.
7. The method of claim 2, further comprising inducing shoot formation from said primary leaf base.

8. The method of claim 7, wherein shoot formation is induced by culturing said primary leaf base in a medium comprising a shoot-inducing hormone.
9. The method of claim 8, wherein said shoot-inducing hormone comprises at least one of an auxin, a cytokinin, and a gibberellic acid.
10. The method of claim 9, wherein said auxin is selected from the group consisting of IAA, NAA, and IBA.
11. The method of claim 9, wherein said cytokinin is selected from the group consisting of benzylaminopurine (BAP), thidiazuron, kinetin, and isopentenyl adenine.
12. The method of claim 7, wherein induction of shoot formation comprises removing one or more of a primary meristem, a secondary meristem, and an axillary meristem attached to a cotyledon.
13. The method of claim 7, further comprising selecting a transformed shoot.
14. The method of claim 13, further comprising regenerating a selected transformed shoot into a soybean plant.
15. The method of claim 1, wherein said soybean seed is a mature seed.
16. The method of claim 1, wherein said soybean seed is an immature seed.
17. The method of claim 1, wherein said soybean seed is a germinated seed.
18. A method for producing a stably transformed soybean plant, comprising:
 - (a) preparing an explant from a soybean seed by:
 - (i) removing a hypocotyl from said soybean seed;
 - (ii) removing one cotyledon along with its adjacent axillary bud, leaving primary leaves attached to a remaining cotyledon; and

- (iii) removing a portion of each primary leaf from said remaining cotyledon, thereby generating a pair of primary leaf bases;
 - (b) co-cultivating said explant with *Agrobacterium* comprising a nucleic acid of interest to be incorporated into a genome of a soybean cell;
 - (c) inducing shoot formation from each primary leaf base;
 - (d) cultivating at least one formed shoot in a medium containing a selection agent;
 - (e) selecting a transformed shoot; and
 - (f) regenerating a selected transformed shoot into a soybean plant.
19. A transgenic soybean plant regenerated from soybean cells or tissue transformed according to the method of claim 1.
20. A transgenic seed produced by the transgenic plant of claim 19.
21. A transgenic soybean plant regenerated from soybean cells or tissue transformed according to the method of claim 18.
22. A transgenic seed produced by the transgenic plant of claim 21.

[illegible]

pNOV2145
9555 bps

ColE1 ORI
VS1 ORI
RepA(pVS)₁₀₀₀
VirG
Spac
NOS LB
CMPS
PMI
EcoRV
BamHI
AscI
Asp718I
BamHI
AflII
SacI
Asp718I
NcoI
BamHI
HindIII
AclI
MunI
SwaI

CMV promoter
E. coli origin
NOS terminator

FIG. 2

2/4




FIG. 3




FIG. 4

4/4




FIG. 5




FIG. 6

70094 Syngenta
SEQUENCE LISTING

<110> Syngenta Participations AG
<120> METHOD OF TRANSFORMING SOYBEAN
<130> 70094 USPS
<160> 4
<170> PatentIn version 3.2
<210> 1
<211> 9555
<212> DNA
<213> Artificial
<220>
<223> pNOV2145

<400> 1
gatccaccgg tcgccaccat ggcccagtc aagcacggcc tgaccaagga gatgaccatg 60
aagtaccgca tggagggctg cgtggacggc cacaagttcg tgatcaccgg cgagggcatc 120
ggctaccctt tcaagggcaa gcaggccatc aacctgtgcg tgggtggaggg cggccccttg 180
cccttcgccg aggacatctt gtccgcccgc ttcattgtacg gcaaccgcgt gttcaccgag 240
tacccccagg acatcgtcga ctacttcaag aactcctgcc ccgccggcta cacctgggac 300
cgctccttcc tgttcgagga cggcgccgtg tgcattctgca acgccgacat caccgtgagc 360
gtggaggaga actgcatgta ccacgagtc aagttctacg gcgtgaactt ccccgccgac 420
ggccccgtga tgaagaagat gaccgacaac tgggagccct cctgcgagaa gatcatcccc 480
gtgccaagc agggcatctt gaagggcgac gtgagcatgt acctgctgct gaaggacggt 540
ggccgcttgc gctgccagtt cgacaccgtg tacaaggcca agtccgtgcc ccgcaagatg 600
cccgactggc acttcatcca gcacaagctg acccgcgagg accgcagcga cgccaagaac 660
cagaagtggc acctgaccga gcacgccatc gcctccggct ccgccttgcc ctgagcggcc 720
ctctagatcc ccgaatttcc ccgatcgttc aaacatttgg caataaagtt tcttaagatt 780
gaatcctgtt gccggtcttg cgatgattat catataattt ctgttgaatt acgttaagca 840
tgtaataatt aacatgtaat gcatgacgtt atttatgaga tgggttttta tgattagagt 900
cccgaatta tacatttaac acgcgataga aaacaaaata tagcgcgcaa actaggataa 960
attatcgcg cgggtgtcat ctatgttact agatcgggaa ttgggtaccg aattcactgg 1020
ccgtcgtttt acaacgtcgt gactgggaaa accctggcgt taccgaactt aatcgcttg 1080
cagcacatcc cccttccgcc agctggcgta atagcgaaga ggcccgcacc gatcgccctt 1140
cccaacagtt gcgcagcctg aatggcgaat ggcgcctgat gcggtatttt ctccttacgc 1200
atctgtgcgg tatttcacac cgcatatggt gcactctcag tacaatctgc tctgatgccg 1260

70094 Syngenta

catagttaag ccagccccga caccgcgcaa caccgcgctga cgcgccctga cgggcttgtc	1320
tgctccccgc atccgcttac agacaagctg tgaccgtctc cgggagctgc atgtgtcaga	1380
ggttttcacc gtcatcaccg aaacgcgcga gacgaaaggg cctcgtgata cgcctatttt	1440
tataggttaa tgtcatgata ataatggttt cttagacgtc aggtggcact tttcggggaa	1500
atgtgcgcgg aaccctattt tgttttatttt tctaaatata ttcaaataatg tatccgctca	1560
tgagacaata accctgataa atgcttcaat ggcgcgccgg taccagcttg catgcctgca	1620
ggtcgactct agaggatcct ggcagacaaa gtggcagaca tactgtcca caaatgaaga	1680
tggaatctgt aaaagaaaac gcgtgaaata atgcgtctga caaaggtag gtcggctgcc	1740
tttaataaat accaaagtgg tccctaccac gatggaaaaa ctgtgcagtc ggtttggctt	1800
tttctgacga acaaataaga ttcgtggccg acagggtggg gtccaccatg tgaaggcatc	1860
ttcagactcc aataatggag caatgacgta agggcttacg aaataagtaa gggtagtttg	1920
ggaaatgtcc actcaccgtc cagtctataa atacttagcc cctccctcat tgtaaggga	1980
gcaaaatctc agagagatag tcctagagag agaaagagag caagtagcct agaagtagga	2040
tccccgatca tgcaaaaact cattaactca gtgcaaaaact atgcctgggg cagcaaaacg	2100
gcgttgactg aactttatgg tatggaaaat ccgtccagcc agccgatggc cgagctgtgg	2160
atgggcgcac atccgaaaag cagttcacga gtgcagaatg ccgccggaga tatcgtttca	2220
ctgcgtgatg tgattgagag tgataaatcg actctgctcg gagaggccgt tgccaaacgc	2280
tttggcgaac tgcctttcct gttcaaagta ttatgcgcag cacagccact ctccattcag	2340
gttcatccaa acaaacacaa ttctgaaatc ggttttgcca aagaaaatgc cgcaggatc	2400
ccgatggatg ccgccgagcg taactataaa gatcctaacc acaagccgga gctgggtttt	2460
gcgctgacgc ctttccttgc gatgaacgcg tttcgtgaat tttccgagat tgtctcccta	2520
ctccagccgg tcgcagggtg acatccggcg attgctcact tttacaaca gcctgatgcc	2580
gaacgtttta gcgaactgtt cgccagcctg ttgaatatgc aggggtgaaga aaaatcccgc	2640
gcgctggcga ttttaaaatc ggccctcgat agccagcagg gtgaaccgtg gcaaacgatt	2700
cgtttaattt ctgaatttta cccggaagac agcgggtctgt tctccccgct attgctgaat	2760
gtggtgaaat tgaaccctgg cgaagcgatg ttcctgttcg ctgaaacacc gcacgcttac	2820
ctgcaaggcg tggcgctgga agtgatggca aactccgata acgtgctgcg tgcgggtctg	2880
acgcctaaat acattgatat tccggaactg gttgccaatg tgaaattcga agccaaaccg	2940
gctaaccagt tgttgaccca gccggtgaaa caagggtcag aactggactt cccgattcca	3000
gtggatgatt ttgccttctc gctgcatgac cttagtgata aagaaaccac cattagccag	3060
cagagtgccg ccattttgtt ctgcgtcgaa ggcgatgcaa cgttgtggaa aggttctcag	3120
cagttacagc ttaaaccggg tgaatcagcg tttattgccc ccaacgaatc accgggtgact	3180

70094 Syngenta

gtcaaaggcc	acggccgttt	agcgcgtggt	tacaacaagc	tgtaagagct	tactgaaaaa	3240
attaacatct	cttgctaagc	tgggagctct	agatccccga	atttccccga	tcgttcaaac	3300
atttggcaat	aaagtttctt	aagattgaat	cctgttgccg	gtcttgcgat	gattatcata	3360
taatttctgt	tgaattacgt	taagcatgta	ataattaaca	tgtaatgcat	gacgttattt	3420
atgagatggg	tttttatgat	tagagtcccg	caattataca	tttaatacgc	gatagaaaac	3480
aaaatatagc	gcgcaaacta	ggataaatta	tcgcgcgcgg	tgtcatctat	gttactagat	3540
cgggaattgg	gtaccatgcc	cgggcggcca	gcatggccgt	atccgcaatg	tgttattaag	3600
ttgtctaagc	gtcaatttgt	ttacaccaca	atatatcctg	ccaccagcca	gccaacagct	3660
ccccgaccgg	cagctcggca	caaaatcacc	actcgataca	ggcagcccat	cagaattaat	3720
tctcatgttt	gacagcttat	catcgactgc	acggtgcacc	aatgcttctg	gcgtcaggca	3780
gccatcgga	gctgtggtat	ggctgtgcag	gtcgtaaadc	actgcataat	tcgtgtcgct	3840
caaggcgcac	tcccgttctg	gataatgttt	tttgcgccga	catcataacg	gttctggcaa	3900
atatcttgaa	atgagctggt	gacaattaat	catccggctc	gtataatgtg	tggaattgtg	3960
agcggataac	aatttcacac	aggaaacaga	ccatgaggga	agcgttgatc	gccgaagtat	4020
cgactcaact	atcagaggta	gttggcgtca	tcgagcgcca	tctcgaaccg	acgttgctgg	4080
ccgtacattt	gtacggctcc	gcagtggatg	gcggcctgaa	gccacacagt	gatattgatt	4140
tgctgggttac	ggtgaccgta	aggcttgatg	aaacaacgcg	gcgagctttg	atcaacgacc	4200
ttttggaaac	ttcggcttcc	cctggagaga	gcgagattct	ccgcgctgta	gaagtcacca	4260
ttgttgtgca	cgacgacatc	attccgtggc	gttatccagc	taagcgcgaa	ctgcaatttg	4320
gagaatggca	gcgcaatgac	attcttgcag	gtatcttcga	gccagccacg	atcgacattg	4380
atctggctat	cttgcgtgaca	aaagcaagag	aacatagcgt	tgcttggta	ggccagcgg	4440
cggaggaact	ctttgatccg	gttcctgaac	aggatctatt	tgaggcgcta	aatgaaacct	4500
taacgctatg	gaactcgccg	cccgactggg	ctggcgatga	gcgaaatgta	gtgcttacgt	4560
tgtcccgcac	ttggtacagc	gcagtaaccg	gcaaaatcgc	gccgaaggat	gtcgctgccg	4620
actgggcaat	ggagcgcctg	ccggcccagt	atcagcccgt	catacttgaa	gctaggcagg	4680
cttatcttgg	acaagaagat	cgcttggcct	cgcgcgaga	tcagttggaa	gaatttggtc	4740
actacgtgaa	aggcgagatc	accaaagtag	tcggcaaata	aagctctagt	ggatctccgt	4800
acccccgggg	gatctggctc	gcggcggacg	cacgacgccg	gggcgagacc	ataggcgatc	4860
tcctaaatca	atagtagctg	taacctcgaa	gcgtttcact	tgtaacaacg	attgagaatt	4920
tttgtcataa	aattgaaata	cttgggtcgc	atttttgtca	tccgcggtca	gccgcaattc	4980
tgacgaactg	cccatttagc	tggagatgat	tgtacatcct	tcacgtgaaa	atttctcag	5040

70094 Syngenta

cgctgtgaac	aagggttcag	atttttagatt	gaaaggtgag	ccgttgaaac	acgttcttct	5100
tgtcgatgac	gacgtcgcta	tgccgcatct	tattattgaa	taccttacga	tccacgcctt	5160
caaagtgacc	gcggtagccg	acagcaccca	gttcacaaga	gtactctctt	ccgcgacggt	5220
cgatgtcgtg	gttggtgatc	taaatttagg	tcgtgaagat	gggctcgaga	tcgttcgtaa	5280
tctggcggca	aagtctgata	ttccaatcat	aattatcagt	ggcgaccgcc	ttgaggagac	5340
ggataaagtt	gttgcactcg	agctaggagc	aagtgatttt	atcgctaagc	cgttcagtat	5400
cagagagttt	ctagcacgca	ttcgggttgc	cttgccgctg	cgccccaacg	ttgtccgctc	5460
caaagaccga	cggtcttttt	gttttactga	ctggacactt	aatctcaggc	aacgtcgcct	5520
gatgtccgaa	gctggcgggtg	aggtgaaact	tacggcaggt	gagttcaatc	ttctcctcgc	5580
gttttttagag	aaaccccgcg	acgttctatc	gcgcgagcaa	cttctcattg	ccagtcgagt	5640
acgcgacgag	gaggtttatg	acaggagtat	agatgttctc	attttgaggc	tgcgccgcaa	5700
acttgaggca	gatccgtcaa	gccctcaact	gataaaaaca	gcaagagggtg	ccggttattt	5760
ctttgacgcg	gacgtgcagg	tttcgcacgg	ggggacgatg	gcagcctgag	ccaattccca	5820
gatccccgag	gaatcggcgt	gagcggtcgc	aaaccatccg	gcccgggtaca	aatcggcgcg	5880
gcgctgggtg	atgacctggt	ggagaagttg	aaggccgcgc	aggccgcca	gcggcaacgc	5940
atcgaggcag	aagcacgccc	cggtgaatcg	tggcaagcgg	ccgctgatcg	aatccgcaaa	6000
gaatcccggc	aaccgccggc	agccggtgcg	ccgtcgatta	ggaagccgcc	caagggcgac	6060
gagcaaccag	attttttcgt	tccgatgctc	tatgacgtgg	gcacccgcga	tagtcgcagc	6120
atcatggacg	tggccgtttt	ccgtctgtcg	aagcgtgacc	gacgagctgg	cgaggtgatc	6180
cgctacgagc	ttccagacgg	gcacgtagag	gtttccgcag	ggccggccgg	catggccagt	6240
gtgtgggatt	acgacctggt	actgatggcg	gtttcccatc	taaccgaatc	catgaaccga	6300
taccgggaag	ggaagggaga	caagcccggc	cgctgtttcc	gtccacacgt	tgcggaacga	6360
ctcaagttct	gccggcgagc	cgatggcgga	aagcagaaag	acgacctggt	agaaacctgc	6420
attcggttaa	acaccacgca	cgttgccatg	cagcgtacga	agaaggccaa	gaacggccgc	6480
ctggtgacgg	tatccgaggg	tgaagccttg	attagccgct	acaagatcgt	aaagagcgaa	6540
accgggaggc	cggagtacat	cgagatcgag	ctagctgatt	ggatgtaccg	cgagatcaca	6600
gaaggcaaga	acccggacgt	gctgacgggt	caccccgatt	actttttgat	cgatcccggc	6660
atcgggcgtt	ttctctaccg	cctggcacgc	cgcgccgcag	gcaaggcaga	agccagatgg	6720
ttgttcaaga	cgatctacga	acgcagtggc	agcgccggag	agttcaagaa	gttctgtttc	6780
accgtgca	agctgatcgg	gtcaaatac	ctgccggagt	acgatttgaa	ggaggaggcg	6840
gggcaggctg	gcccgatcct	agtcatgcgc	taccgcaacc	tgatcgaggg	cgaagcatcc	6900
gccggttcct	aatgtacgga	gcagatgcta	gggcaaattg	ccctagcagg	ggaaaaaggt	6960

70094 Syngenta

cgaaaagggtc	tctttcctgt	ggatagcacg	tacattggga	acccaaagcc	gtacattggg	7020
aaccggaacc	cgtacattgg	gaacccaaag	ccgtacattg	ggaaccggtc	acacatgtaa	7080
gtgactgata	taaaagagaa	aaaaggcgat	ttttccgcct	aaaactcttt	aaaacttatt	7140
aaaactctta	aaacccgcct	ggcctgtgca	taactgtctg	gccagcgcac	agccgaagag	7200
ctgcaaaaag	cgcctaccct	tcggtcgctg	cgctccctac	gccccgccgc	ttcgcgtcgg	7260
cctatcgcgg	ccgctggccg	ctcaaaaatg	gctggcctac	ggccaggcaa	tctaccaggg	7320
cgcggacaag	ccgcgccgtc	gccactcgac	cgccggcgct	gaggtctgcc	tcgtgaagaa	7380
ggtgttgctg	actcatacca	ggcctgaatc	gccccatcat	ccagccagaa	agtgaggagg	7440
ccacggttga	tgagagcttt	gttgtaggtg	gaccagttgg	tgattttgaa	cttttgcttt	7500
gccacggaac	ggtctgcgtt	gtcgggaaga	tgcgtgatct	gatccttcaa	ctcagcaaaa	7560
gttcgattta	ttcaacaaag	ccgccgtccc	gtcaagtcag	cgtaatgctc	tgccagtgtt	7620
acaaccaatt	aaccaattct	gattagaaaa	actcatcgag	catcaaataa	aactgcaatt	7680
tattcatatc	aggattatca	ataccatatt	tttgaaaaag	ccgtttctgt	aatgaaggag	7740
aaaactcacc	gaggcagttc	cataggatgg	caagatcctg	gtatcgggtc	gcgattccga	7800
ctcgtccaac	atcaatacaa	cctattaatt	tcccctcgtc	aaaaataagg	ttatcaagtg	7860
agaaatcacc	atgagtgcgc	actgaatccg	gtgagaatgg	caaaagctct	gcattaatga	7920
atcgccaac	gcgcggggag	aggcggtttg	cgtattgggc	gctcttcgcg	ttcctcgtc	7980
actgactcgc	tgcgctcggg	cgttcggctg	cggcgagcgg	tatcagctca	ctcaaaggcg	8040
gtaatacggg	tatccacaga	atcaggggat	aacgcaggaa	agaacatgtg	agcaaaaggc	8100
cagcaaaagg	ccaggaaccg	taaaaaggcc	gcgttgctgg	cgtttttcca	taggctccgc	8160
ccccctgacg	agcatcacia	aaatcgacgc	tcaagtcaga	ggtggcgaaa	cccgacagga	8220
ctataaagat	accaggcggt	tccccctgga	agctccctcg	tgcgctctcc	tgttccgacc	8280
ctgccgctta	ccggatacct	gtccgccttt	ctcccttcgg	gaagcggtgg	gctttctcat	8340
agctcacgct	gtaggtatct	cagttcgggtg	taggtcggtc	gctccaagct	gggctgtgtg	8400
cacgaacccc	ccgttcagcc	cgaccgctgc	gccttatccg	gtaactatcg	tcttgagtcc	8460
aaccgggtaa	gacacgactt	atcgccactg	gcagcagcca	ctggtaacag	gattagcaga	8520
gcgaggtatg	taggcgggtg	tacagagttc	ttgaagtggg	ggcctaacta	cggctacact	8580
agaagaacag	tatttggtat	ctgcgctctg	ctgaagccag	ttaccttcgg	aaaaagagtt	8640
ggtagctctt	gatccggcaa	acaaaccacc	gctggtagcg	gtggtttttt	tgtttgcaag	8700
cagcagatta	cgcgcagaaa	aaaaggatct	caagaagatc	ctttgatctt	ttctacgggg	8760
tctgacgctc	agtggaacga	aaactcacgt	taagggattt	tggtcatgag	attatcaaaa	8820

70094 Syngenta

aggatcttca cctagatcct tttgatccgg aattaattcc tgtggttggc atgcacatac	8880
aaatggacga acggataaac cttttcacgc ccttttaaat atccgattat tctaataaac	8940
gctcttttct cttaggttta cccgccaata tatcctgtca aacactgata gtttaaactg	9000
aaggcgggaa acgacaatct gatcatgagc ggagaattaa gggagtcacg ttatgacccc	9060
cgccgatgac gcgggacaag ccgttttacg tttggaactg acagaaccgc aacgctgcag	9120
gaattggccg cagcggccat ttaaataaat tgggcgcgta cgtagcacta gtgcgcgac	9180
gcttaattaa gcggcgcgcc taaagcttct ggcagacaaa gtggcagaca tactgtccca	9240
caaataaga tggaatctgt aaaagaaaac gcgtgaaata atgcgtctga caaaggtag	9300
gtcggctgcc tttaatcaat accaaagtgg tccctaccac gatggaaaaa ctgtgcagtc	9360
ggtttggtt tttctgacga acaataaga ttcgtggccg acagggtggg gtccaccatg	9420
tgaaggcatc ttcagactcc aataatggag caatgacgta agggcttacg aaataagtaa	9480
gggtagttt ggaaatgtcc actcaccggt cagtctataa atacttagcc cctccctcat	9540
tgtaaggga gcaag	9555

<210> 2
 <211> 9546
 <212> DNA
 <213> Artificial

<220>
 <223> pNOV2147

<400> 2	
ggatccccga tcatgcaaaa actcattaac tcagtcaaaa actatgcctg gggcagcaaaa	60
acggcgttga ctgaacttta tggatatgaa aatccgtcca gccagccgat ggccgagctg	120
tggatgggag cacaatccga aagcagttca cgagtgcaga atgccgccgg agatatcggt	180
tactgcgtg atgtgattga gagtgataaa tcgactctgc tcggagaggc cgttgccaaa	240
cgctttggcg aactgccttt cctgttcaaa gtattatgcg cagcacagcc actctccatt	300
caggttcatc caaacaaca caattctgaa atcggttttg ccaaagaaaa tgccgcaggt	360
atcccgatgg atgccgccga gcgtaactat aaagatccta accacaagcc ggagctggtt	420
tttgcgtga cgcctttcct tgcgatgaac gcgtttcgtg aattttccga gattgtctcc	480
ctactccagc cggtcgcagg tgcacatccg gcgattgctc actttttaca acagcctgat	540
gccgaacgtt taagcgaact gttcgccagc ctgttgaaata tgcagggtga agaaaaatcc	600
cgcgcgctgg cgattttaaa atcggccctc gatagccagc aggggtgaacc gtggcaaacg	660
attcgtttaa tttctgaatt ttacccgga gacagcggtc tgttctcccc gctattgctg	720
aatgtgggtga aattgaacct tggcgaagcg atgttcctgt tcgctgaaac accgcacgct	780
tacctgcaag gcgtggcgct ggaagtgat gcaaaactccg ataacgtgct gcgtgcgggt	840

70094 Syngenta

ctgacgccta aatacattga tattccggaa ctggttgcca atgtgaaatt cgaagccaaa 900
ccggctaacc agttgttgac ccagccggtg aaacaagggtg cagaactgga cttcccgatt 960
ccagtggatg attttgcctt ctcgctgcat gaccttagtg ataaagaaac caccattagc 1020
cagcagagtg ccgccatttt gttctgcgtc gaaggcgatg caacgtttg gaaagggttct 1080
cagcagttac agcttaaacc ggggtgaatca gcgtttattg ccgccaacga atcaccggtg 1140
actgtcaaag gccacggccg ttttagcgcgt gtttacaaca agctgtaaga gcttactgaa 1200
aaaattaaca tctcttgcta agctgggagc tctagatccc cgaatttccc cgatcgttca 1260
aacatttggc aataaagttt cttaagattg aatcctgttg ccggtcttgc gatgattatc 1320
atataatttc tgttgaatta cgtaagcat gtaataatta acatgtaatg catgacgtta 1380
tttatgagat gggtttttat gattagagtc ccgcaattat acatttaata cgcatagaa 1440
aacaaaatat agcgcgcaaa ctaggataaa ttatcgcgcg cgggtgtcatc tatgttacta 1500
gatcgggaat tgggtaccat gcccgggagg ccagcatggc cgtatccgca atgtgttatt 1560
aagttgtcta agcgtcaatt tgtttacacc acaatatatc ctgccaccag ccagccaaca 1620
gctccccgac cggcagctcg gcacaaaatc accactcgat acaggcagcc catcagaatt 1680
aattctcatg tttgacagct tatcatcgac tgcacggtgc accaatgctt ctggcgctcag 1740
gcagccatcg gaagctgtgg tatggctgtg caggtcgtaa atcactgcat aattcgtgtc 1800
gctcaaggcg cactcccgtt ctggataatg ttttttgcgc cgacatcata acggttctgg 1860
caaataattt gaaatgagct gttgacaatt aatcatccgg ctcgtataat gtgtggaatt 1920
gtgagcggat aacaatttca cacaggaaac agaccatgag ggaagcgttg atcgccgaag 1980
tatcgactca actatcagag gtagttggcg tcatcgagcg ccatctcgaa ccgacgttgc 2040
tggccgtaca tttgtacggc tccgcagtgg atggcggcct gaagccacac agtgatattg 2100
atttgctggg tacggtgacc gtaaggcttg atgaaacaac gcggcgagct ttgatcaacg 2160
accttttga aacttcggct tcccctggag agagcgagat tctccgcgct gtagaagtca 2220
ccattgttgt gcacgacgac atcattccgt ggcgttatcc agctaagcgc gaactgcaat 2280
ttggagaatg gcagcgcaat gacattcttg caggatatct cgagccagcc acgatcgaca 2340
ttgatctggc tatcttgctg acaaaagcaa gagaacatag cgttgccttg gtaggtccag 2400
cggcggagga actctttgat ccggttcctg aacaggatct atttgaggcg ctaaataaaa 2460
ccttaacgct atggaactcg ccgcccgact gggctggcga tgagcgaaat gtagtgctta 2520
cgttgtcccc catttggtac agcgcagtaa ccggcaaaat cgcgccgaag gatgtcgctg 2580
ccgactgggc aatggagcgc ctgccggccc agtatcagcc cgtcatactt gaagctaggg 2640
aggcttatct tggacaagaa gatcgcttgg cctcgcgcgc agatcagttg gaagaatttg 2700

70094 Syngenta

ttcactacgt	gaaaggcgag	atcaccaaag	tagtcggcaa	ataaagctct	agtggatctc	2760
cgtacccccg	ggggatcttg	ctcgcggcgg	acgcacgacg	ccggggcgag	accataggcg	2820
atctcctaaa	tcaatagtag	ctgtaacctc	gaagcgtttc	acttgtaaca	acgattgaga	2880
atTTTTgtca	taaaattgaa	atacttggtt	cgcattttttg	tcattccgcgg	tcagccgcaa	2940
ttctgacgaa	ctgcccattt	agctggagat	gattgtacat	ccttcacgtg	aaaattttctc	3000
aagcgctgtg	aacaagggtt	cagatttttag	attgaaagg	gagccggtga	aacacgtttct	3060
tcttgtcgat	gacgacgtcg	ctatgcggca	tcttattatt	gaataacctta	cgatccacgc	3120
cttcaaagt	accgcggtag	ccgacagcac	ccagttcaca	agagtactct	cttccgcgac	3180
ggctgatgtc	gtggttggtg	atctaaattt	aggtcgtgaa	gatgggctcg	agatcgttcg	3240
taatctggcg	gcaaagtctg	atattccaat	cataattatc	agtggcgacc	gccttgagga	3300
gacggataaa	gttgttgac	tcgagctagg	agcaagtgat	tttatcgcta	agccgttcag	3360
tatcagagag	tttctagcac	gcattcgggt	tgccttgccg	gtgcgcccc	acgttggtccg	3420
ctccaaagac	cgacgggtctt	tttgtttttac	tgactggaca	cttaattctca	ggcaacgtcg	3480
cttgatgtcc	gaagctggcg	gtgaggtgaa	acttacggca	ggtagagttca	atctttctcct	3540
cgcgTTTTta	gagaaacccc	gcgacgttct	atcgcgcgag	caactttctca	ttgccagtcg	3600
agtacgcgac	gaggagggtt	atgacaggag	tatagatgtt	ctcatttttga	ggctgcgccg	3660
caaacttgag	gcagatccgt	caagccctca	actgataaaa	acagcaagag	gtgccgggtta	3720
tttctttgac	gcgacgtgc	aggttttcgca	cgggggggacg	atggcagcct	gagccaattc	3780
ccagatcccc	gaggaatcgg	cgtgagcgg	cgcaaaccat	ccggcccgg	acaaatcggc	3840
gcggcgctgg	gtgatgacct	ggtggagaag	ttgaaggccg	cgcaggccgc	ccagcggcaa	3900
cgcacgcagg	cagaagcacg	ccccggtgaa	tcgtggcaag	cgcccgctga	tcgaatccgc	3960
aaagaatccc	ggcaaccgcc	ggcagccgg	gcgccgtcga	ttaggaagcc	gcccaggggc	4020
gacgagcaac	cagatttttt	cgttccgatg	ctctatgacg	tgggcacccg	cgatagtcgc	4080
agcatcatgg	acgtggccgt	tttccgtctg	tcgaagcgtg	accgacgagc	tggcgagggtg	4140
atccgctacg	agcttccaga	cgggcacgta	gaggtttccg	cagggccggc	cggcatggcc	4200
agtgtgtggg	attacgacct	ggtactgatg	gcggttttcc	atctaaccga	atccatgaac	4260
cgataccggg	aagggaagg	agacaagccc	ggccgcgtgt	tccgtccaca	cgttgccggac	4320
gtactcaagt	tctgccggcg	agccgatggc	ggaaagcaga	aagacgacct	ggtagaaacc	4380
tgcattcggg	taaacaccac	gcacgttgcc	atgcagcgta	cgaagaaggc	caagaacggc	4440
cgcctggtga	cggatatccga	gggtgaagcc	ttgattagcc	gctacaagat	cgtaaagagc	4500
gaaaccgggg	ggccggagta	catcgagatc	gagctagctg	attggatgta	ccgcgagatc	4560
acagaaggca	agaaccggga	cgtgctgacg	gttcaccccg	attacttttt	gatcgatccc	4620

70094 Syngenta

ggcatcggcc	gttttctcta	ccgcctggca	cgccgcgccg	caggcaaggc	agaagccaga	4680
tggttgttca	agacgatcta	cgaacgcagt	ggcagcgccg	gagagttcaa	gaagttctgt	4740
ttcaccgtgc	gcaagctgat	cgggtcaaat	gacctgccgg	agtacgattt	gaaggaggag	4800
gcggggcagg	ctggcccgat	cctagtcatt	cgctaccgca	acctgatcga	gggcgaagca	4860
tccgccggtt	cctaattgtac	ggagcagatg	ctagggcaaa	ttgccctagc	aggggaaaaa	4920
ggtcgaaaag	gtctctttcc	tgtggatagc	acgtacattg	ggaacccaaa	gccgtacatt	4980
gggaaccgga	acccgtacat	tgggaaccca	aagccgtaca	ttgggaaccg	gtcacacatg	5040
taagtgactg	atataaaaga	gaaaaaaggc	gatttttccg	cctaaaactc	tttaaaactt	5100
attaaaactc	ttaaaacccg	cctggcctgt	gcataactgt	ctggccagcg	cacagccgaa	5160
gagctgcaaa	aagcgcctac	ccttcggctg	ctgcgtccc	tacgccccgc	cgcttcgcgt	5220
cggcctatcg	cggccgctgg	ccgctcaaaa	atggctggcc	tacggccagg	caatctacca	5280
gggcgcgga	aagccgcgcc	gtcgccactc	gaccgcccgc	gctgaggtct	gcctcgtgaa	5340
gaagggtgtg	ctgactcata	ccaggcctga	atcgccccat	catccagcca	gaaagtgagg	5400
gagccacggt	tgatgagagc	tttgtttag	gtggaccagt	tggtgatttt	gaacttttgc	5460
tttgccacgg	aacggtctgc	gttgtcggga	agatgcgtga	tctgatcctt	caactcagca	5520
aaagttcgat	ttattcaaca	aagccgcctg	cccgtcaagt	cagcgtaatg	ctctgccagt	5580
gttacaacca	attaaccaat	tctgattaga	aaaactcatc	gagcatcaaa	tgaaactgca	5640
atttattcat	atcaggatta	tcaataccat	atttttgaaa	aagccgtttc	tgtaatgaag	5700
gagaaaactc	accgaggcag	ttccatagga	tggcaagatc	ctggtatcgg	tctgcgattc	5760
cgactcgtcc	aacatcaata	caacctatta	atttcccctc	gtcaaaaata	aggttatcaa	5820
gtgagaaatc	accatgagtg	acgactgaat	ccggtgagaa	tggcaaaagc	tctgcattaa	5880
tgaatcggcc	aacgcgcggg	gagaggcggg	ttgcgtattg	ggcgtcttcc	cgcttcctcg	5940
ctcactgact	cgctgcgctc	ggcgttccgg	ctgcggcgag	cggtatcagc	tactcaaaag	6000
gcggtataac	ggttatccac	agaatcaggg	gataacgcag	gaaagaacat	gtgagcaaaa	6060
ggccagcaaa	aggccaggaa	ccgtaaaaag	gccgcgttgc	tggcgttttt	ccataggctc	6120
cgccccctg	acgagcatca	caaaaatcga	cgctcaagtc	agaggtggcg	aaacccgaca	6180
ggactataaa	gataaccaggc	gtttccccct	ggaagctccc	tcgtgcgctc	tcctgttccg	6240
accctgccgc	ttaccggata	cctgtccgcc	tttctccctt	cgggaagcgt	ggcgctttct	6300
catagctcac	gctgtaggta	tctcagttcg	gtgtaggtcg	ttcgctccaa	gctgggctgt	6360
gtgcacgaac	ccccggttca	gcccgaaccg	tgccgcttat	ccggtactaa	tcgtcttgag	6420
tccaacccgg	taagacacga	cttatcgcca	ctggcagcag	ccactggtaa	caggattagc	6480

70094 Syngenta

agagcgaggt	atgtaggcgg	tgctacagag	ttcttgaagt	ggtaggcctaa	ctacggctac	6540
actagaagaa	cagtatttgg	tatctgcgct	ctgctgaagc	cagttacctt	cggaaaaaga	6600
gttggttagct	cttgatccgg	caaacaaacc	accgctggta	gcggtgggtt	ttttgtttgc	6660
aagcagcaga	ttacgcgcag	aaaaaaagga	tctcaagaag	atcctttgat	cttttctacg	6720
gggtctgacg	ctcagtggaa	cgaaaactca	cgttaaggga	ttttgggtcat	gagattatca	6780
aaaaggatct	tcacctagat	ccttttgatc	cggaattaat	tcctgtgggt	ggcatgcaca	6840
tacaaatgga	cgaacggata	aaccttttca	cgccctttta	aatatccgat	tattctaata	6900
aacgctcttt	tctcttaggt	ttacccgcc	atatatcctg	tcaaacactg	atagtttaaa	6960
ctgaaggcgg	gaaacgacaa	tctgatcatg	agcggagaat	taagggagtc	acgttatgac	7020
ccccgccgat	gacgcgggac	aagccgtttt	acgtttggaa	ctgacagaac	cgcaacgctg	7080
caggaattgg	ccgcagcggc	catttaaadc	aattgggcgc	gtacgtagca	ctagtgcgcg	7140
atcgcttaat	taagcggcgc	gcctaaagct	tctggcagac	aaagtggcag	acatactgtc	7200
ccacaaatga	agatggaatc	tgtaaaagaa	aacgcgtgaa	ataatgcgtc	tgacaaaggt	7260
taggtcggct	gcctttaatc	aataccaaag	tggtccctac	cacgatggaa	aaactgtgca	7320
gtcggtttgg	ctttttctga	cgaacaaata	agattcgtgg	ccgacagggtg	gggtccacc	7380
atgtgaaggc	atcttcagac	tccaataatg	gagcaatgac	gtaagggtt	acgaaataag	7440
taagggtagt	ttgggaaatg	tccactcacc	cgtagtcta	taaatactta	gcccctccct	7500
cattgttaag	ggagcaagga	tccaccggtc	gccaccatgg	ccctgtccaa	caagttcatc	7560
ggcgacgaca	tgaagatgac	ctaccacatg	gacggctgcg	tgaacggcca	ctacttcacc	7620
gtgaagggcg	agggcagcgg	caagccctac	gagggcacc	agacctccac	cttcaagggtg	7680
accatggcca	acggcgggccc	cctgggccttc	tccttcgaca	tcctgtccac	cgtgttcacg	7740
tacggcaacc	gctgcttcac	cgcctacccc	accagcatgc	ccgactactt	caagcaggcc	7800
ttccccgacg	gcatgtccta	cgagagaacc	ttcacctacg	aggacggcgg	cgtggccacc	7860
gccagctggg	agatcagcct	gaagggcaac	tgcttcgagc	acaagtccac	cttcacaggc	7920
gtgaacttcc	ccgccgacgg	ccccgtgatg	gccaagaaga	ccaccggctg	ggacccctcc	7980
ttcgagaaga	tgaccgtgtg	cgacggcatc	ttgaagggcg	acgtgaccgc	cttcctgatg	8040
ctgcagggcg	gcggcaacta	cagatgccag	ttccacacct	cctacaagac	caagaagccc	8100
gtgaccatgc	cccccaacca	cgtggtggag	caccgcacgc	ccagaaccga	cctggacaag	8160
ggcggcaaca	gcgtgcagct	gaccgagcac	gccgtggccc	acatcacctc	cgtggtgccc	8220
ttctgagagc	tctagatccc	cgaatttccc	cgatcgttca	aacatttggc	aataaagttt	8280
cttaagattg	aatcctgttg	ccggtcttgc	gatgattatc	atataatttc	tggtgaatta	8340
cgttaagcat	gtaataatta	acatgtaatg	catgacgtta	tttatgagat	gggtttttat	8400

70094 Syngenta

gattagagtc cgcgaattat acattttaata cgcgatagaa aacaaaatat agcgcgcaaa 8460
ctaggataaa ttatcgcgcg cggtgtcatc tatgttacta gatcgggaat tgggtaccga 8520
attcactggc cgtcgtttta caacgtcgtg actgggaaaa ccctggcggt acccaactta 8580
atcgcccttc agcacatccc cctttcgcca gctggcgtaa tagcgaagag gcccgcaccg 8640
atcgcccttc ccaacagttg cgcagcctga atggcgaatg gcgcctgatg cggtattttc 8700
tccttacgca tctgtgcggt atttcacacc gcatatggtg cactctcagt acaatctgct 8760
ctgatgccgc atagttaagc cagccccgac acccgccaac acccgctgac gcgccctgac 8820
gggcttgtct gtcgccgga tccgcttaca gacaagctgt gaccgtctcc gggagctgca 8880
tgtgtcagag gttttcaccg tcatcaccga aacgcgcgag acgaaagggc ctcgtgatac 8940
gcctattttt ataggttaat gtcattgataa taatggtttc ttagacgtca ggtggcactt 9000
ttcggggaaa tgtgcgcgga acccctattt gtttattttt ctaaatacat tcaaatatgt 9060
atccgctcat gagacaataa ccctgataaa tgcttcaatg gcgcgccggt accagcttgc 9120
atgcctgcag gtcgactcta gaggatcctg gcagacaaag tggcagacat actgtccac 9180
aatgaagat ggaatctgta aaagaaaacg cgtgaaataa tgcgtctgac aaaggtagg 9240
tcggctgcct ttaatcaata ccaaagtggc ccctaccacg atggaaaaac tgtgcagtcg 9300
gtttggcttt ttctgacgaa caaataagat tcgtggccga cagggtggggg tccaccatgt 9360
gaaggcatct tcgactcca ataatggagc aatgacgtaa gggcttacga aataagtaag 9420
ggtagtttg gaaatgtcca ctcccccgtc agtctataaa tacttagccc ctccctcatt 9480
gttaaggag caaaatctca gagagatagt cctagagaga gaaagagagc aagtagccta 9540
gaagta 9546

<210> 3
<211> 10604
<212> DNA
<213> Artificial

<220>
<223> pBSC11234

<400> 3
cgcgcctaaa gcttgcattg ctgcaggctg actctagagg atcctggcag acaaagtggc 60
agacatactg tcccacaaat gaagatggaa tctgtaaaag aaaacgcgtg aaataatgcg 120
tctgacaaag gttaggctcg ctgcctttta tcaataccaa agtggtccct accacgatgg 180
aaaaactgtg cagtcggttt ggctttttct gacgaacaaa taagattcgt ggccgacagg 240
tggggggtcca ccatgtgaag gcatcttcag actccaataa tggagcaatg acgtaagggc 300
ttacgaaata agtaagggtg gtttgggaaa tgtccactca cccgtcagtc tataaatact 360

70094 Syngenta

tagcccctcc	ctcattgtta	agggagcaaa	atctcagaga	gatagtccta	gagagagaaa	420
gagagcaagt	agcctagaag	taggatcccc	gatcatgcaa	aaactcatta	actcagtgc	480
aaactatgcc	tggggcagca	aaacggcggt	gactgaactt	tatggtatgg	aaaatccgtc	540
cagccagccg	atggccgagc	tgtggatggg	cgcacatccg	aaaagcagtt	cacgagtgc	600
gaatgccgcc	ggagatatcg	tttactgcg	tgatgtgatt	gagagtgata	aatcgactct	660
gctcggagag	gccgttgcca	aacgctttgg	cgaactgcct	ttcctgttca	aagtattatg	720
cgcagcacag	ccactctcca	ttcaggttca	tccaaacaaa	cacaattctg	aaatcggttt	780
tgccaaagaa	aatgccgcag	gtatcccgat	ggatgccgcc	gagcgtaact	ataaagatcc	840
taaccacaag	ccggagctgg	tttttgcgct	gacgcctttc	cttgcgatga	acgcgtttcg	900
tgaattttcc	gagattgtct	ccctactcca	gccggctcgca	ggtgcacatc	cggcgattgc	960
tcacttttta	caacagcctg	atgccgaacg	tttaagcgaa	ctgttcgcca	gcctgttgaa	1020
tatgcagggg	gaagaaaaat	cccgcgcgct	ggcgatttta	aaatcgggcc	tcgatagcca	1080
gcaggggtgaa	ccgtggcaaa	cgattcgttt	aatttctgaa	ttttaccggg	aagacagcgg	1140
tctgttctcc	ccgctattgc	tgaatgtggg	gaaattgaac	cctggcgaag	cgatgttcct	1200
gttcgctgaa	acaccgcacg	cttacctgca	aggcgtggcg	ctggaagtga	tggcaaaactc	1260
cgataacgtg	ctgcgtgcgg	gtctgacgcc	taaatacatt	gatattccgg	aactggttgc	1320
caatgtgaaa	ttcgaagcca	aaccggctaa	ccagttgttg	accagccgg	tgaaacaagg	1380
tgcagaactg	gacttcccga	ttccagtggg	tgattttgcc	ttctcgctgc	atgaccttag	1440
tgataaagaa	accaccatta	gccagcagag	tgccgccatt	ttgttctgcg	tcgaaggcga	1500
tgcaacgttg	tggaaagggt	ctcagcagtt	acagcttaaa	ccgggtgaat	cagcgtttat	1560
tgccgccaac	gaatcaccgg	tgactgtcaa	aggccacggc	cgtttagcgc	gtgtttacaa	1620
caagctgtaa	gagcttactg	aaaaaattaa	catctcttgc	taagctggga	gctctagatc	1680
cccgaatttc	cccgatcggt	caaacatttg	gcaataaagt	ttcttaagat	tgaatcctgt	1740
tgccggtctt	gcgatgatta	tcatataatt	tctgttgaat	tacgttaagc	atgtaataat	1800
taacatgtaa	tgcatgacgt	tatttatgag	atgggttttt	atgattagag	tcccgaatt	1860
atacatttaa	tacgcgatag	aaaacaaaat	atagcgcgca	aactaggata	aattatcgcg	1920
cgcggtgtca	tctatgttac	tagatcggga	attgggtacc	atgcccgggc	ggccagcatg	1980
gccgtatccg	caatgtgtta	ttaagttgtc	taagcgtcaa	tttgtttaca	ccacaatata	2040
tcctgccacc	agccagccaa	cagctccccg	accggcagct	cggcacaaaa	tcaccactcg	2100
atacaggcag	cccatcagaa	ttaattctca	tgtttgacag	cttatcatcg	actgcacggt	2160
gcaccaatgc	ttctggcgtc	aggcagccat	cggaaagctgt	ggtatggctg	tgcaggctcg	2220
aatcactgc	ataattcgtg	tcgctcaagg	cgcactcccc	ttctggataa	tgttttttgc	2280

70094 Syngenta

gccgacatca taacggttct ggcaaatatt ctgaaatgag ctgttgacaa ttaatcatcc	2340
ggctcgtata atgtgtggaa ttgtgagcgg ataacaattt cacacaggaa acagaccatg	2400
aggaagcgt tgatcgccga agtatcgact caactatcag aggtagtgg cgtcatcgag	2460
cgccatctcg aaccgacgtt gctggccgta catttgtagc gctccgcagt ggatggcggc	2520
ctgaagccac acagtgatat tgatttgctg gttacggtga ccgtaaggct tgatgaaaca	2580
acgcggcgag ctttgatcaa cgaccttttg gaaacttcgg cttcccctgg agagagcgag	2640
attctccgcg ctgtagaagt caccattggt gtgcacgacg acatcattcc gtggcggtat	2700
ccagctaagc gcgaactgca atttggagaa tggcagcgca atgacattct tgcaggatct	2760
ttcgagccag ccacgatcga cattgatctg gctatcttgc tgacaaaagc aagagaacat	2820
agcgttgcc tggtaggtcc agcggcggag gaactctttg atccggttcc tgaacaggat	2880
ctatttgagg cgctaaatga aaccttaacg ctatggaact cgccgccga ctgggctggc	2940
gatgagcgaa atgtagtgct tacgttgctc cgcatcttgg acagcgagt aaccggcaaa	3000
atcgcgccga aggatgtcgc tgccgactgg gcaatggagc gcctgccggc ccagtatcag	3060
cccgtcatatc ttgaagctag gcaggcttat cttggacaag aagatcgctt ggcctcgcgc	3120
gcagatcagt tggaagaatt tgttcactac gtgaaaggcg agatcaccaâ agtagtcggc	3180
aaataaagct ctagtggatc tccgtacccc cgggggatct ggctcgcggc ggacgcacga	3240
cgccggggcg agaccatagg cgatctccta aatcaatagt agctgtaacc tcgaagcgtt	3300
tcacttgtaa caacgattga gaatttttgt cataaaattg aaatacttgg ttcgcatttt	3360
tgtcatccgc ggtcagccgc aattctgacg aactgcccac ttagctggag atgattgtac	3420
atccttcacg tgaaaatttc tcaagcgtg tgaacaaggg ttcagatttt agattgaaag	3480
gtgagccgtt gaaacacgtt cttctgtcgc atgacgacgt cgctatgcgg catcttatta	3540
ttgaatacct tacgatccac gccttcaaag tgaccgcggt agccgacagc acccagttca	3600
caagagtact ctcttcgcgc acggtcgatg tcgtggttgt tgatctaaat ttaggtcgtg	3660
aagatgggct cgagatcgtt cgtaatctgg cggcaaagtc tgatattcca atcataatta	3720
tcagtggcga ccgccttgag gagacggata aagttgttgc actcgagcta ggagcaagtg	3780
attttatcgc taagccgttc agtatcagag agtttctagc acgcattcgg gttgccttgc	3840
gcgtgcgccc caacgttgct cgctccaaag accgacggtc tttttgtttt actgactgga	3900
cacttaatct caggcaacgt cgcttgatgt ccgaagctgg cggtgagggtg aaacttacgg	3960
caggtgagtt caatcttctc ctgcggttt tagagaaacc ccgcgacgtt ctatcgcgcg	4020
agcaacttct cattgccagt cgagtacgcg acgaggaggt ttatgacagg agtatagatg	4080
ttctcatttt gaggtgcgc cgcaaacttg aggcagatcc gtcaagccct caactgataa	4140

70094 Syngenta

aaacagcaag	aggtgccggt	tatttctttg	acgcggacgt	gcaggtttcg	cacgggggga	4200
cgatggcagc	ctgagccaat	tcccagatcc	ccgaggaatc	ggcgtgagcg	gtcgcaaacc	4260
atccggccccg	gtacaaatcg	gcgcggcgct	gggtgatgac	ctggtggaga	agttgaaggc	4320
cgcgcaggcc	gcccagcggc	aacgcacgca	ggcagaagca	cgccccggtg	aatcgtggca	4380
agcggccgct	gatcgaatcc	gcaaagaatc	ccggcaaccg	ccggcagccg	gtgcgccgtc	4440
gattaggaag	ccgcccgaag	gcgacgagca	accagatttt	ttcgttccga	tgctctatga	4500
cgtgggcacc	cgcgatagtc	gcagcatcat	ggacgtggcc	gttttccgtc	tgctgaagcg	4560
tgaccgacga	gctggcgagg	tgatccgcta	cgagcttcca	gacgggcacg	tagaggtttc	4620
cgcagggccg	gccggcatgg	ccagtgtgtg	ggattacgac	ctggtactga	tggcggtttc	4680
ccatctaacc	gaatccatga	accgataccg	ggaagggaag	ggagacaagc	ccggccgcgt	4740
gttccgtcca	cacgttgccg	acgtactcaa	gttctgccgg	cgagccgatg	gcggaaagca	4800
gaaagacgac	ctggtagaaa	cctgcattcg	gttaaacacc	acgcacgttg	ccatgcagcg	4860
tacgaagaag	gccaagaacg	gccgcctggt	gacggtatcc	gagggtgaag	ccttgattag	4920
ccgctacaag	atcgtaaaga	gcgaaaccgg	gcggccggag	tacatcgaga	tcgagctagc	4980
tgattggatg	taccgcgaga	tcacagaagg	caagaacccg	gacgtgctga	cggttcaccc	5040
cgattacttt	ttgatcgatc	ccggcatcgg	ccgttttctc	taccgcctgg	cacgccgcgc	5100
cgcaggcaag	gcagaagcca	gatggttggt	caagacgatc	tacgaacgca	gtggcagcgc	5160
cggagagttc	aagaagttct	gtttcacccg	gcgcaagctg	atcgggtcaa	atgacctgcc	5220
ggagtacgat	ttgaaggagg	aggcggggca	ggctggccccg	atcctagtca	tgcgctaccg	5280
caacctgatc	gagggcgaag	catccgccgg	ttcctaattg	acggagcaga	tgctagggca	5340
aattgccccta	gcaggggaaa	aaggctcga	aggtctcttt	cctgtggata	gcacgtacat	5400
tgggaaacca	aagccgtaca	ttgggaaccg	gaacccgtac	attgggaacc	caaagccgta	5460
cattgggaac	cggtcacaca	tgtaagtga	tgatataaaa	gagaaaaaag	gcgatttttc	5520
cgcctaaaac	tctttaa	ttattaaaac	tcttaaaacc	cgcctggcct	gtgcataact	5580
gtctggccag	cgcacagccg	aagagctgca	aaaagcgcct	acccttcggt	cgctgcgctc	5640
cctacgcccc	gccgcttcgc	gtcggcctat	cgcgcccgct	ggccgctcaa	aaatggctgg	5700
cctacggcca	ggcaatctac	cagggcgcg	acaagccgcg	ccgtcgccac	tcgaccgccg	5760
gcgctgaggt	ctgcctcgtg	aagaaggtgt	tgctgactca	taccaggcct	gaatcgcccc	5820
atcatccagc	cagaaagtga	gggagccacg	gttgatgaga	gctttgttgt	aggtggacca	5880
gttggtgatt	ttgaactttt	gctttgccac	ggaacgggtct	gcgttgctcg	gaagatgcgt	5940
gatctgatcc	ttcaactcag	caaaagttcg	atttattcaa	caaagccgcc	gtcccgtcaa	6000
gtcagcgtaa	tgctctgcca	gtgttacaac	caattaacca	attctgatta	gaaaaactca	6060

70094 Syngenta

tcgagcatca aatgaaactg caatttattc atatcaggat tatcaatacc atatttttga	6120
aaaagccgtt tctgtaatga aggagaaaac tcaccgaggc agttccatag gatggcaaga	6180
tcctggtatc ggtctgcatg tccgactcgt ccaacatcaa tacaacctat taattttccc	6240
tcgtcaaaaa taaggttatc aagtgagaaa tcaccatgag tgacgactga atccggtgag	6300
aatggcaaaa gctctgcatt aatgaatcgg ccaacgcgcg gggagaggcg gtttgcgat	6360
tgggcgctct tccgcttcct cgctcactga ctcgctgcgc tcggtcggtc ggctgcggcg	6420
agcggtatca gctcactcaa aggcggtaat acggttatcc acagaatcag gggataacgc	6480
aggaaagaac atgtgagcaa aaggccagca aaaggccagg aaccgtaaaa aggccgcgtt	6540
gctggcggtt ttccataggc tccgcccccc tgacgagcat cacaaaaatc gacgctcaag	6600
tcagagggtg cgaaacccga caggactata aagataccag gcgtttcccc ctggaagctc	6660
cctcgtgcgc tctcctgttc cgaccctgcc gcttaccgga tacctgtccg cttttctccc	6720
ttcgggaagc gtggcgcttt ctcatagtct acgctgtagg tatctcagtt cgggtgtaggt	6780
cgttcgctcc aagctgggct gtgtgcacga accccccgtt cagcccgacc gctgcgcctt	6840
atccggtaac tatcgtcttg agtccaaccc ggtaagacac gacttatcgc cactggcagc	6900
agccactggt aacaggatta gcagagcgag gtatgtaggc ggtgctacag agttcttgaa	6960
gtggtggcct aactacggct acactagaag aacagtatct ggtatctgcg ctctgctgaa	7020
gccagttacc ttcggaaaaa gagttggtag ctcttgatcc ggcaaacaaa ccaccgctgg	7080
tagcggtggt tttttgttt gcaagcagca gattacgcgc agaaaaaag gatctcaaga	7140
agatcctttg atcttttcta cggggtctga cgctcagtgg aacgaaaact cacgttaagg	7200
gattttggtc atgagattat caaaaaggat cttcacctag atccttttga tccggaatta	7260
attcctgtgg ttggcatgca catacaaatg gacgaacgga taaacctttt cacgcccttt	7320
taaatatccg attatttcta taaacgctct tttctcttag gtttaccgc caatatatcc	7380
tgtcaaacac tgatagttaa aactgaaggc gggaaacgac aatctgatca tgagcggaga	7440
attaagggag tcacgttatg acccccgccg atgacgcggg acaagccgtt ttacgtttgg	7500
aactgacaga accgcaacgc tgcaggaatt ggccgcagcg gccatttaaa tcaattgggc	7560
gcgtacgtag cactagtgcg cgatcgctta attaagcggc gcgcctgcag gcggccgcac	7620
aattattata tcaaatggc aaaaacattt aatacgtatt atttaagaaa aaaatatgta	7680
ataatatatt tatattttta tatctattct tatgtatttt ttaaaaatct attatatatt	7740
gatcaactaa aatattttta tatctacact tattttgcat ttttatcaat tttcttgct	7800
tttttggcat atttaataat gactattctt taataatcga tcattattct tacatggtac	7860
atattgttgg aaccatatga agtgtccatt gcatttgact atgtggatag tgttttgatc	7920

70094 Syngenta

caggcctcca	tttgccgctt	attaattaat	ttggtaacag	tccgtactaa	tcagttactt	7980
atccttcctc	catcataatt	aatcttggtg	gtctcgaatg	ccacaacact	gactagtctc	8040
ttggatcata	agaaaaagcc	aaggaacaaa	agaagacaaa	acacaatggg	agtatccttt	8100
gcatagcaat	gtctaagttc	ataaaattca	aacaaaaacg	caatcacaca	cagtggacat	8160
cacttatcca	ctagctgatc	aggatcgccg	cgtcaagaaa	aaaaaactgg	accccaaaag	8220
ccatgcacaa	caacacgtac	tcacaaaggt	gtcaatcgag	cagcccacaa	cattcaccaa	8280
ctcaacccat	catgagccca	cacatttggt	gtttctaac	caacctcaaa	ctcgtattct	8340
cttccgccc	ctcatttttg	tttatttcaa	caccgcgtaa	actgcatgcc	accccggtgg	8400
caaatgtcca	tgcagtgtta	caagacctat	gactataaat	atctgcaatc	tcggcccagg	8460
ttttcatcat	caagaaccag	ttcaatatcc	tagtacaccg	tattaaagaa	tttaagatat	8520
actccaccgg	atccaccatg	gccaaagctg	ttttttccct	ttgttttctg	cttttcagtg	8580
gctgctgctt	cgctgagatt	ttcggcaaga	ccttccgcga	gggcccgttc	gtgctcaagg	8640
agaagaactt	caccgtggag	ttcggcgtgg	agaagatcca	cctcggctgg	aagatatcgg	8700
gccgcgtgaa	gggctcgccg	ggccgcctcg	aggtgctccg	caccaaggcc	ccggagaagg	8760
tgctcgtgaa	caactggcag	tcctggggcc	cgtgccgcgt	ggtggacgcc	ttctccttca	8820
agccgccgga	gatcgacccg	aactggcgct	acaccgcata	cgtggtgccg	gacgtgctcg	8880
agcgcaacct	gcagtccgac	tacttcgtgg	ccgaggaggg	caagggtgtac	ggcttcctct	8940
cctccaagat	cgcccacccg	ttcttcgcgg	tggaggacgg	cgagctggtg	gcctacctcg	9000
agtacttcga	cgtggagttc	gacgacttcg	tgccgctgga	gccgctcgtg	gtgctcgagg	9060
acccgaacac	cccgtcctc	ctcgagaagt	acgccgagct	ggtgggcatg	gagaacaacg	9120
cccgggtgcc	gaagcacacg	ccgaccggct	ggtgctcctg	gtatcactac	ttcctcgacc	9180
tcacctggga	ggagaccctc	aagaacctca	agctcgccaa	gaacttcccg	ttcgagggtg	9240
tccagatcga	cgacgcctac	gagaaggaca	tcggcgactg	gctcgtgacc	cgcggcgact	9300
tcccgtccgt	ggaggagatg	gccaaaggtg	tcggcgagaa	cggcttcata	cccggcatct	9360
ggaccgcccc	gttctccgtg	tccgagacta	gtgacgtggt	caacgagcac	ccggactggg	9420
tggtgaagga	gaacggcgag	ccgaagatgg	cctaccgcaa	ctggaacaag	aagattttacg	9480
ccctcgacct	ctccaaggac	gaggtgctca	actggctctt	cgacctcttc	tcctccctcc	9540
gcaagatggg	ctaccgctac	ttcaagatcg	acttctctct	cgcgggcgcc	gtgccggggg	9600
agcgcaagaa	gaacatcacc	ccgatccagg	ccttcgcgaa	gggcatcgag	accatccgca	9660
aggccgtggg	ggaggactcc	ttcatcctcg	gctgcggctc	ccccctcctc	ccggccgtgg	9720
gctgcgtgga	tggcatgcgc	atcggccccg	acaccgcccc	gttctggggg	gagcacatcg	9780
aggacaacgg	cgccccggcg	gcccgtgggg	ccctccgcaa	cgccatcacc	cgctacttca	9840

70094 Syngenta

tgcacgaccg cttctggctc aacgacccgg actgcctcat cctccgcgag gagaagaccg 9900
acctcaccga gaaggagaag gagctgtact cctacacctg cggcggttcta gacaacatga 9960
tcacgagtc cgacgacctc tccctcgtgc gcgaccacgg caagaagggtg ctcaaggaga 10020
ccctcgagct gctcggggggc aggccgcgcg tgcagaacat catgtccgag gacctccgct 10080
acgagatcgt gtcctcggggc accctctccg gcaacgtgaa gatcgtgggtg gacctcaact 10140
cccgcgagta ccacctcgag aaggagggca agtcctccct caagaagcgc gtggtgaagc 10200
gggaggacgg caggaacttc tacttctacg aggagggcgga gcgcgagtgaa aagcttgacg 10260
tcactagtgc gatcgcgcta gccatggccg gcctaggcgc ccgggagatc cccgaatttc 10320
cccgatcgtt caaacatttg gcaataaagt ttcttaagat tgaatcctgt tgccgggtctt 10380
gcgatgatta tcatataatt tctgttgaat tacgttaagc atgtaataat taacatgtaa 10440
tgcacgacgt tatttatgag atgggttttt atgattagag tcccgcatt atacatttaa 10500
tacgcgatag aaaacaaaat atagcgcgca aactaggata aattatcgcg cgcggtgtca 10560
tctatgttac tagatcggga attcctcgag tctagacctg cagg 10604

<210> 4
<211> 8757
<212> DNA
<213> Artificial

<220>
<223> pBSC11369

<400> 4
aagcttctgg cagacaaagt ggcagacata ctgtcccaca aatgaagatg gaatctgtaa 60
aagaaaacgc gtgaaataat gcgtctgaca aaggttaggt cggctgcctt taatcaatac 120
caaagtggtc cctaccacga tggaaaaact gtgcagtcgg tttggctttt tctgacgaac 180
aaataagatt cgtggccgac aggtgggggt ccaccatgtg aaggcatctt cagactccaa 240
taatggagca atgacgtaag ggcttacgaa ataagtaagg gtagtttggg aaatgtccac 300
tcacccgtca gtctataaat acttagcccc tccctcattg ttaagggagc aaggatccac 360
cggctgccac catggcccag tccaagcacg gcctgaccaa ggagatgacc atgaagtacc 420
gcatggaggg ctgcgtggac ggccacaagt tcgtgatcac cggcgagggc atcggctacc 480
ccttcaaggg caagcaggcc atcaacctgt gcgtgggtgga gggcgggccc ttgcccttcg 540
ccgaggacat cttgtccgcc gccttcatgt acggcaaccg cgtgttcacc gagtaccccc 600
aggacatcgt cgactacttc aagaactcct gccccgccgg ctacacctgg gaccgctcct 660
tcctgttcga ggacggcgcc gtgtgcatct gcaacgccga catcaccgtg agcgtggagg 720
agaactgcat gtaccacgag tccaagttct acggcgtgaa cttccccgcc gacggccccg 780

70094 Syngenta

tgatgaagaa	gatgaccgac	aactgggagc	cctcctgcga	gaagatcatc	cccgtgccca	840
agcagggcat	cttgaagggc	gacgtgagca	tgtacctgct	gctgaaggac	ggtggccgct	900
tgcgctgcca	gttcgacacc	gtgtacaagg	ccaagtccgt	gccccgcaag	atgcccgaact	960
ggcacttcat	ccagcacaag	ctgacccgcg	aggaccgcag	cgacgccaag	aaccagaagt	1020
ggcacctgac	cgagcacgcc	atcgccctccg	gctccgcctt	gccctgctct	agatcccga	1080
tttccccgat	cgttcaaaca	tttggcaata	aagtttctta	agattgaatc	ctgttgccgg	1140
tcttgcgatg	attatcatat	aatttctggt	gaattacggt	aagcatgtaa	taattaacat	1200
gtaatgcatg	acgttattta	tgagatgggt	ttttatgatt	agagtcccg	aattatacat	1260
ttaatacgcg	atagaaaaca	aaatatagcg	cgcaaactag	gataaattat	cgcgcgcggt	1320
gtcatctatg	ttactagatc	gggaattggg	gaaatttacc	ggtgccgaat	ttccccgatc	1380
cagcttcttg	cagacaaagt	ggcagacata	ctgtcccaca	aatgaagatg	gaatctgtaa	1440
aagaaaacgc	gtgaaataat	gcgtctgaca	aagggttaggt	cggtgcctt	taatcaatac	1500
caaagtggtc	cctaccacga	tggaaaaact	gtgcagtcgg	tttggctttt	tctgacgaac	1560
aaataagatt	cgtggccgac	aggtgggggt	ccaccatgtg	aaggcatctt	cagactccaa	1620
taatggagca	atgacgtaag	ggcttacgaa	ataagtaagg	gtagtttggg	aaatgtccac	1680
tcacccgtca	gtctataaat	acttagcccc	tccctcattg	ttaagggagc	aaggatccat	1740
gaaaaagcct	gaactcaccg	cgacgtctgt	cgagaagttt	ctgatcgaaa	agttcgacag	1800
cgtctccgac	ctgatgcagc	tctcgagggg	cgaagaatct	cgtgctttca	gcttcgatgt	1860
aggaggcgct	ggatatgtcc	tgcgggtaaa	tagctgcgcc	gatggtttct	acaagatcg	1920
ttatgtttat	cggcactttg	catcgccgcg	gctcccgaat	ccggaagtgc	ttgacattgg	1980
ggaattcagc	gagagcctga	cctattgcat	ctcccgccgt	gcacagggtg	tcacgttgca	2040
agacctgcct	gaaaccgaac	tgcccgcgtg	tctgcagccg	gtcgcgagg	ccatggatgc	2100
gatcgctgcg	gccgatctta	gccagacgag	cggttcggc	ccattcggac	cgcaaggaat	2160
cggatcaatac	actacatggc	gtgatttcat	atgcgcgatt	gctgatcccc	atgtgtatca	2220
ctggcaaact	gtgatggacg	acaccgtcag	tgcgtccgtc	gcgcaggctc	tcgatgagct	2280
gatgcttttg	gccgaggact	gccccgaagt	ccggcacctc	gtgcacgcgg	atttcggctc	2340
caacaatgtc	ctgacggaca	atggccgcat	aacagcggtc	attgactgga	gcgaggcgat	2400
gttcggggat	tcccaatacg	aggtcgccaa	catcttcttc	tggaggccgt	gggttggttg	2460
tatggagcag	cagacgcgct	acttcgagcg	gaggcatccg	gagcttgacg	gatcgccgcg	2520
gctccggggc	tatatgctcc	gcattggtct	tgaccaactc	tatcagagct	tggttgacgg	2580
caatttcgat	gatgcagctt	gggcgcaggg	tcgatgcgac	gcaatcgctc	gatccggagc	2640
cgggactgtc	gggcgtacac	aaatcgcccc	cagaagcgcg	gccgtctgga	ccgatggctg	2700

70094 Syngenta

tgtagaagta ctcgccgata gtggaaaccg acgccccagc actcgtccga gggcaaagga	2760
atagggatcc cccgaatttc cccgatcgtt caaacatttg gcaataaagt ttcttaagat	2820
tgaatcctgt tgccggtctt gcgatgatta tcatataatt tctgttgaat tacgttaagc	2880
atgtaataat taacatgtaa tgcacgacgt tatttatgag atggggtttt atgattagag	2940
tcccgcgaatt atacatttaa tacgcgatag aaaacaaaat atagcgcgca aactaggata	3000
aattatcgcg cgcggtgtca tctatgttac tagatcggga attagcggcc cgaattcact	3060
ggccgctcgtt ttacaacgtc gtgactggga aaaccctggc gttaccaaac ttaatcgctt	3120
tgcagcacat ccccctttcg ccaggggagg ccagcatggc cgtatccgca atgtgttatt	3180
aagttgtcta agcgtcaatt tgtttacacc acaatatatc ctgccaccag ccagccaaca	3240
gctccccgac cggcagctcg gcacaaaatc accactcgat acaggcagcc catcagaatt	3300
aattctcatg tttagacagct tatcatcgac tgcacggtgc accaatgctt ctggcgctcag	3360
gcagccatcg gaagctgtgg tatggctgtg caggtcgtaa atcactgcat aattcgtgtc	3420
gctcaaggcg cactcccgtt ctggataatg ttttttgcgc cgacatcata acggttctgg	3480
caaatattct gaaatgagct gttgacaatt aatcatccgg ctcgtataat gtgtggaatt	3540
gtgagcggat aacaatttca cacaggaaac agaccatgag ggaagcgttg atcgccgaag	3600
tatcgactca actatcagag gtagttggcg tcatcgagcg ccatctcgaa ccgacgttgc	3660
tggccgtaca ttgtacggc tccgcagtgg atggcggcct gaagccacac agtgatattg	3720
atttgctggt tacggtgacc gtaaggcttg atgaaacaac gcggcgagct ttgatcaacg	3780
accttttggg aacttcggct tcccctggag agagcgagat tctccgcgct gtagaagtca	3840
ccattgttgt gcacgacgac atcattccgt ggcgttatcc agctaagcgc gaactgcaat	3900
ttggagaatg gcagcgcaat gacattcttg caggtatctt cgagccagcc acgatcgaca	3960
ttgatctggc tatcttgctg acaaaagcaa gagaacatag cgttgccttg gtaggtccag	4020
cggcggagga actctttgat ccggttcctg aacaggatct atttgaggcg ctaaataaaa	4080
ccttaacgct atggaactcg ccgcccgact gggctggcga tgagcgaaat gtagtgctta	4140
cgttgtcccc catttggtac agcgcagtaa ccggcaaaat cgcgccgaag gatgtcgctg	4200
ccgactgggc aatggagcgc ctgccggccc agtatcagcc cgtcactact gaagctaggc	4260
aggcttatct tggacaagaa gatcgcttgg cctcgcgcgc agatcagttg gaagaatttg	4320
ttcactacgt gaaaggcgag atcaccaaag tagtcggcaa ataaagctct agtggatctc	4380
cgtaccgggg gatctggctc gcggcggacg cacgacgccg gggcgagacc ataggcgatc	4440
tcctaaatca atagtagctg taacctgaa gcgtttcact tgtaacaacg attgagaatt	4500
ttgtcataa aattgaaata ctgtgttcgc atttttgtca tccgcgggtca gccgcaattc	4560

70094 Syngenta

tgacgaactg	cccatttagc	tgagatgat	tgtacatcct	tcacgtgaaa	atttctcaag	4620
cgctgtgaac	aagggttcag	attttagatt	gaaaggtgag	ccgttgaaac	acgttcttct	4680
tgctgatgac	gacgtcgcta	tgcgcatct	tattattgaa	taccttacga	tccacgcctt	4740
caaagtgacc	gcggtagccg	acagcaccca	gttcacaaga	gtactctctt	ccgcgacggt	4800
cgatgtcgtg	gttgttgatc	tagatttagg	tcgtgaagat	gggctcgaga	tcgttcgtaa	4860
tctggcggca	aagtctgata	ttccaatcat	aattatcagt	ggcgaccgcc	ttgaggagac	4920
ggataaagtt	gttgactctg	agctaggagc	aagtgatttt	atcgctaagc	cgttcagtat	4980
cagagagttt	ctagcacgca	ttcgggttg	cttgcgctg	cgccccaacg	ttgtccgctc	5040
caaagaccga	cggtcttttt	gttttactga	ctggacactt	aatctcaggc	aacgtcgctt	5100
gatgtccgaa	gctggcgggtg	aggtgaaact	tacggcaggt	gagttcaatc	ttctcctcgc	5160
gttttttagag	aaaccccgcg	acgttctatc	gcgcgagcaa	cttctcattg	ccagtcgagt	5220
acgcgacgag	gaggtttatg	acaggagtat	agatgttctc	attttgaggc	tgcgccgcaa	5280
acttgaggca	gatccgtcaa	gccctcaact	gataaaaaca	gcaagagggtg	ccggttattt	5340
ctttgacgcg	gacgtgcagg	tttcgcacgg	ggggacgatg	gcagcctgag	ccaattccca	5400
gatccccgag	gaatcggcgt	gagcggtcgc	aaaccatccg	gcccggtaca	aatcggcgcg	5460
gcgctgggtg	atgacctggt	ggagaagttg	aaggccgcgc	aggccgcca	gcggcaacgc	5520
atcgaggcag	aagcacgccc	cggtgaatcg	tggcaagcgg	ccgctgatcg	aatccgcaaa	5580
gaatcccggc	aaccgccggc	agccggtg	ccgtcgatta	ggaagccgcc	caagggcgac	5640
gagcaaccag	attttttcgt	tccgatgctc	tatgacgtgg	gcacccgcga	tagtcgcagc	5700
atcatggacg	tggccgtttt	ccgtctgtcg	aagcgtgacc	gacgagctgg	cgaggtgatc	5760
cgctacgagc	ttccagacgg	gcacgtagag	gtttccgcag	ggccggccgg	catggccagt	5820
gtgtgggatt	acgacctggt	actgatggcg	gtttcccatc	taaccgaatc	catgaaccga	5880
taccgggaag	ggaagggaga	caagcccggc	cgcggtgtcc	gtccacacgt	tgcggacgta	5940
ctcaagttct	gccggcgagc	cgatggcgga	aagcagaaa	acgacctggt	agaaacctgc	6000
attcgggttaa	acaccacgca	cgttgccatg	cagcgtacga	agaaggccaa	gaacggccgc	6060
ctggtgacgg	tatccgaggg	tgaagccttg	attagccgct	acaagatcgt	aaagagcgaa	6120
accgggaggc	cggagtacat	cgagatcgag	ctagctgatt	ggatgtaccg	cgagatcaca	6180
gaaggcaaga	acccggacgt	gctgacgggt	caccccgatt	actttttgat	cgatccccggc	6240
atcggccgtt	ttctctaccg	cctggcacgc	cgcgccgcag	gcaaggcaga	agccagatgg	6300
ttgttcaaga	cgatctacga	acgcagtggc	agcgccggag	agttcaagaa	gttctgtttc	6360
accgtgcgca	agctgatcgg	gtcaaatgac	ctgccggagt	acgatttgaa	ggaggaggcg	6420
gggcaggctg	gcccgatcct	agtcatgcgc	taccgcaacc	tgatcgaggg	cgaagcatcc	6480

70094 Syngenta

gccggttcct	aatgtacgga	gcagatgcta	gggcaaattg	ccctagcagg	ggaaaaaggt	6540
cgaaaagggtc	tcttttcctgt	ggatagcacg	tacattggga	acccaaagcc	gtacattggg	6600
aaccggaacc	cgtacattgg	gaacccaaag	ccgtacattg	ggaaccggtc	acacatgtaa	6660
gtgactgata	taaaagagaa	aaaaggcgat	ttttccgcct	aaaactcttt	aaaacttatt	6720
aaaactctta	aaacccgcct	ggcctgtgca	taactgtctg	gccagcgcac	agccgaagag	6780
ctgcaaaaag	cgcctaccct	tcggtcgtg	cgctccctac	gccccgccgc	ttcgcgtcgg	6840
cctatcgcg	ccgctggccg	ctcaaaaatg	gctggcctac	ggccaggcaa	tctaccaggg	6900
cgcggaacaag	ccgcgccgtc	gccactcgac	cgccggcgct	gaggtctgcc	tcgtgaagaa	6960
ggtgttgctg	actcatacca	ggcctgaatc	gccccatcat	ccagccagaa	agtgaggagg	7020
ccacggttga	tgagagcttt	gttgtaggtg	gaccagttgg	tgattttgaa	cttttgcttt	7080
gccacggaac	ggtctgcgtt	gtcgggaaga	tgctgtatct	gatccttcaa	ctcagcaaaa	7140
gttcgattta	ttcaacaaag	ccgccgtccc	gtcaagtcag	cgtaatgctc	tgccagtgtt	7200
acaaccaatt	aaccaattct	gattagaaaa	actcatcgag	catcaaataga	aactgcaatt	7260
tattcatatc	aggattatca	ataccatatt	tttgaaaaag	ccgtttctgt	aatgaaggag	7320
aaaactcacc	gaggcagttc	cataggatgg	caagatcctg	gtatcgggtc	gcgattccga	7380
ctcgtccaac	atcaatacaa	cctattaatt	tcccctcgtc	aaaaataagg	ttatcaagtg	7440
agaaatcacc	atgagtgcg	actgaatccg	gtgagaatgg	caaaagctct	gcattaatga	7500
atcggccaac	gcgcggggag	aggcggtttg	cgatttgggc	gctcttccgc	ttcctcgtc	7560
actgactcgc	tgcgctcgg	cgttcggctg	cggcgagcgg	tatcagctca	ctcaaaggcg	7620
gtaatacgg	tatccacaga	atcaggggat	aacgcaggaa	agaacatgtg	agcaaaaagg	7680
cagcaaaaagg	ccaggaaccg	taaaaaggcc	gcgttgctgg	cgtttttcca	taggctccgc	7740
ccccctgacg	agcatcacia	aaatcgacgc	tcaagtcaga	ggtggcgaaa	cccgacagga	7800
ctataaagat	accaggcggt	tccccctgga	agctccctcg	tgcgctctcc	tgttccgacc	7860
ctgccgctta	ccggatacct	gtccgccttt	ctcccttcgg	gaagcggtgg	gctttctcat	7920
agctcacgct	gtaggatatct	cagttcgggtg	taggtcgttc	gctccaagct	gggctgtgtg	7980
cacgaacccc	ccgttcagcc	cgaccgctgc	gccttatccg	gtaactatcg	tcttgagtcc	8040
aacccggtaa	gacacgactt	atcgccactg	gcagcagcca	ctggtaacag	gattagcaga	8100
gcgaggatatg	taggcgggtgc	tacagagtcc	ttgaagtgg	ggcctaacta	cggctacact	8160
agaagaacag	tatttggtat	ctgcgctctg	ctgaagccag	ttaccttcgg	aaaaagagtt	8220
ggtagctctt	gatccggcaa	acaaaccacc	gctggtagcg	gtgggttttt	tgtttgcaag	8280
cagcagatta	cgcgcagaaa	aaaaggatct	caagaagatc	ctttgatctt	ttctacgggg	8340

70094 Syngenta

tctgacgctc agtggaaacga aaactcacgt taagggattt tggcatgag attatcaaaa	8400
aggatcttca cctagatcct tttgatccgg aattaattcc tgtggttggc atgcacatac	8460
aaatggacga acggataaac cttttcacgc ctttttaa atccgattat tctaataaac	8520
gctcttttct cttagggttta cccgccaata ttcctgtca aacactgata gtttaaactg	8580
aaggcgggaa acgacaatct gatcatgagc ggagaattaa gggagtcacg ttatgacccc	8640
cgccgatgac gcgggacaag ccgttttacg tttggaactg acagaaccgc aacgctgcag	8700
gaattggccg cagcggccat ttaaataaat tgggcgcgcc gaattcgagc tcggtac	8757

**This Page is Inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ BLACK BORDERS
- ☐ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
- ☐ FADED TEXT OR DRAWING
- ☒ BLURRED OR ILLEGIBLE TEXT OR DRAWING
- ☐ SKEWED/SLANTED IMAGES
- ☐ COLOR OR BLACK AND WHITE PHOTOGRAPHS
- ☐ GRAY SCALE DOCUMENTS
- ☐ LINES OR MARKS ON ORIGINAL DOCUMENT
- ☐ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY
- ☐ OTHER: _____

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.